

## Warning label - US-PML-W100 (50X50) - 1014126

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


Warning label, Card, yellow/black, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: adhesive, diameter: 0 mm, lettering field size: 50 x 50 mm, Number of individual labels: 6



### Your advantages

- ✔ UniSheet - stick-on warning labels, unmarked
- ✔ Suitable for indoor and outdoor use
- ✔ The warning labels conform to the ISO 7010 international standard
- ✔ Highly flexible, plasticized PVC labels which are ideal for uneven surfaces

### Key Commercial Data

|                                      |   |
|--------------------------------------|---|
| Packing unit                         | 1 pc  |
| Minimum order quantity               | 10 pc   |
| GTIN                                 | <br>4 046356 786393 |
| GTIN                                 | 4046356786393   |
| Weight per Piece (excluding packing) | 4.000 g   |
| Custom tariff number                 | 39199080  |
| Country of origin                    | Germany   |

### Technical data

#### Dimensions

|            |         |
|------------|---------|
| Length (b) | 50 mm   |
| Width (a)  | 50 mm   |
| Height (c) | 43.3 mm |
| Diameter   | 0.00 mm |

# Warning label - US-PML-W100 (50X50) - 1014126

## Technical data

### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 90 °C |
|---------------------------------|------------------|

### General

|                             |                             |
|-----------------------------|-----------------------------|
| Color                       | yellow/black                |
| Type                        | Triangle                    |
| Components                  | Silicone-free               |
| Material                    | PVC                         |
| Wipe resistance             | DIN EN 61010-1 (VDE 0411-1) |
| Number of individual labels | 6                           |
| Marking mounting type       | adhesive                    |

### Standards and Regulations

|                 |                             |
|-----------------|-----------------------------|
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|-----------------|-----------------------------|

## Classifications

### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 40200202 |
| eCl@ss 4.0    | 40200100 |
| eCl@ss 4.1    | 40200100 |
| eCl@ss 5.0    | 40200100 |
| eCl@ss 5.1    | 27371300 |
| eCl@ss 6.0    | 40200100 |
| eCl@ss 7.0    | 40200103 |
| eCl@ss 8.0    | 40200202 |
| eCl@ss 9.0    | 40200202 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000712 |
| ETIM 4.0 | EC001777 |
| ETIM 5.0 | EC001777 |
| ETIM 6.0 | EC001777 |
| ETIM 7.0 | EC001777 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 43172501 |
| UNSPSC 7.0901 | 43212107 |
| UNSPSC 11     | 43172501 |
| UNSPSC 12.01  | 43212107 |

## Warning label - US-PML-W100 (50X50) - 1014126

### Classifications

#### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 13.2 | 55121718 |
| UNSPSC 18.0 | 55121718 |
| UNSPSC 19.0 | 55121718 |
| UNSPSC 20.0 | 55121718 |
| UNSPSC 21.0 | 55121718 |

### Accessories

#### Accessories

##### Ink ribbon

Ink ribbon - THERMOMARK-RIBBON 110-TC - 0801371



Ink ribbon, for THERMOMARK CARD for printing product groups UCT..., US..., and UM..., width: 110 mm, color: black

---

#### Magazine

Magazine - TMP-US-MAG1 - 0803341



Magazine, For THERMOMARK CARD and THERMOMARK PRIME, for accommodating US cards