

# XLP2-6BC



Products → Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → EasyLine

## General Information

<b>Extended Product Type:</b>	XLP2-6BC
<b>Product ID:</b>	1SEP101892R0002
<b>EAN:</b>	7025840016878
<b>Catalog Description:</b>	XLP2-6BC Fuse Switch Disconnecter
<b>Long Description:</b>	XLP2,3-pole,400A, incl. 6 Bridge Clamps

## Ordering

<b>EAN:</b>	7025840016878
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85389099

## Dimensions

<b>Product Net Width:</b>	210 mm
<b>Product Net Height:</b>	290 mm
<b>Product Net Depth:</b>	130 mm
<b>Product Net Weight:</b>	3.02 kg

## Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 Width:</b>	210 mm
<b>Package Level 1 Height:</b>	290 mm
<b>Package Level 1 Length:</b>	130 mm
<b>Package Level 1 Gross Weight:</b>	3.02 kg
<b>Package Level 2 EAN:</b>	7025840016878

## Additional Information

<b>Degree of Protection:</b>	IP30
<b>Frequency (f):</b>	MainCircuit 50/60 Hz
<b>Fuse Size:</b>	NH2
<b>Fuse System:</b>	DIN
<b>Fuse Type:</b>	NH
<b>Fuse Protected Short-Circuit Making:</b>	MainCircuit 50 kiloampere rms
<b>Fuse Protected Short-Circuit Withstand:</b>	MainCircuit 50 kiloampere rms

<b>Handle Type:</b>	Front cover 3P
<b>Mounting Type:</b>	Baseplate
<b>Number of Poles:</b>	3
<b>Order Multiple:</b>	1 piece
<b>Product Main Type:</b>	XLP2
<b>Product Name:</b>	Fuse Switch Disconnecter
<b>Rated Current (I<sub>n</sub>):</b>	400 A
<b>Rated Frequency (f):</b>	Main Circuit 50/60 Hz
<b>Rated Voltage (U<sub>r</sub>):</b>	500 V AC 690 V AC
<b>Rated Impulse Withstand Voltage (U<sub>imp</sub>):</b>	Main Circuit 8 kV
<b>Rated Operational Current AC-21B (I<sub>e</sub>):</b>	(690 V) 315 A
<b>Rated Operational Current AC-22B (I<sub>e</sub>):</b>	(500 V) 400 A
<b>Rated Operational Voltage:</b>	500 V AC 690 V AC
<b>Special Functions:</b>	Not Included
<b>Suitable For:</b>	Baseplate
<b>Terminal Type:</b>	Cable Clamp

## Certificates and Declarations (Document Number)

<b>Data Sheet, Technical Information:</b>	1SEC312012D0201
<b>Declaration of Conformity - CE:</b>	1SEP500050P0001

## Classifications

<b>ETIM 4:</b>	EC001040 - Fuse switch disconnecter
<b>ETIM 5:</b>	EC001040 - Fuse switch disconnecter
<b>ETIM 6:</b>	EC001040 - Fuse switch disconnecter
<b>Object Classification Code:</b>	S
<b>UNSPSC:</b>	39121600

