

XLP2-EFM-6BC



Products → Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → EasyLine

General Information

Extended Product Type:	XLP2-EFM-6BC
Product ID:	1SEP101892R0012
EAN:	7025840016885
Catalog Description:	XLP2-EFM-6BC Fuse Switch Disconnecter
Long Description:	XLP2,3-pole,400A, incl. Electronic Fuse Monitoring and 6 Bridge Clamps

Ordering

EAN:	7025840016885
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85389099

Dimensions

Product Net Width:	210 mm
Product Net Height:	290 mm
Product Net Depth:	140 mm
Product Net Weight:	3.2 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	210 mm
Package Level 1 Height:	290 mm
Package Level 1 Length:	140 mm
Package Level 1 Gross Weight:	3.2 kg
Package Level 2 EAN:	7025840016885

Additional Information

Degree of Protection:	IP30
Frequency (f):	MainCircuit 50/60 Hz
Function:	Electronic Fuse Monitoring
Fuse Size:	NH2
Fuse System:	DIN
Fuse Type:	NH
Fuse Protected Short-Circuit	MainCircuit 50 kiloampere rms
Making:	

Fuse Protected Short-Circuit Withstand:	MainCircuit 50 kiloampere rms
Handle Type:	Front cover 3P
Mounting Type:	Baseplate
Number of Poles:	3
Order Multiple:	1 piece
Product Main Type:	XLP2
Product Name:	Fuse Switch Disconnecter
Rated Current (I_n):	400 A
Rated Frequency (f):	Main Circuit 50/60 Hz
Rated Voltage (U_r):	500 V AC 690 V AC
Rated Impulse Withstand Voltage (U_{imp}):	Main Circuit 8 kV
Rated Operational Current AC-21B (I_e):	(690 V) 315 A
Rated Operational Current AC-22B (I_e):	(500 V) 400 A
Rated Operational Voltage:	500 V AC 690 V AC
Special Functions:	EFM Size 2
Suitable For:	Baseplate
Terminal Type:	Cable Clamp

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	1SEC312012D0201
Declaration of Conformity - CE:	1SEP500050P0001

Classifications

ETIM 4:	EC001040 - Fuse switch disconnecter
ETIM 5:	EC001040 - Fuse switch disconnecter
ETIM 6:	EC001040 - Fuse switch disconnecter
Object Classification Code:	S
UNSPSC:	39121600

