# OC10G01KNBN00NA1



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

**Extended Product Type:** OC10G01KNBN00NA1 **Product ID:** 1SCA126420R1001 EAN: 6417019563831

OC10G01KNBN00NA1 Cam switch **Catalog Description:** 

Long Description: OC10 Cam switch, Ith=10A, ON-OFF, 1-contact, Snap-on door mounting, B

lack Key operated. Black handle and frontplate with standard text are inclu

ded. Special engraved frontplates to be ordered as separate items.

Ordering

**Minimum Order Quantity:** 1 piece

**Customs Tariff Number:** 85365080

Popular Downloads

**Data Sheet, Technical Information:** 1SCC302009C0201

**Instructions and Manuals:** 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

**Dimensions** 

**Product Net Width:** 32 mm

**Product Net Height:** 32 mm

**Product Net Depth:** 54 mm

**Product Net Weight:** 0.05 kg

Technical

**Rated Operational Current AC-22A** (500 V) 10 A

(l<sub>e</sub>):

(P<sub>e</sub>):

Rated Operational Current AC-23A (230 V) Three Phase 7.6 A

(400 V) Three Phase 6.5 A (l<sub>e</sub>):

Rated Operational Power AC-23A (230 V) Three Phase 1.8 kW

(400 V) Three Phase 3 kW

**Conventional Free-air Thermal** 

g = 40 °C 10 A

Current (Ith):

**Conventional Thermal Current** Fully Enclosed 10 A

 $(I_{the})$ :

**Rated Continuous Thermal** 10 A

**Current:** 

Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	2.5 kV
Rated Insulation Voltage (U <sub>i</sub> ):	500 V
Rated Operational Voltage:	500 V
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 0.12 kiloampere rms
Power Loss:	0.6 W
Pollution Degree:	3
Handle Type:	Key operated
Special Functions:	ON - OFF switch: 0-position: 9 o'clock, step angle 90°, front plate 0-1
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	1
Number of Poles:	1
Terminal Type:	Screw Terminals

### Technical UL/CSA

Ampere Rating UL/CSA: 600 V AC 10 A

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SCC302005D0201
Instructions and Manuals: 1SCC302013F0006

#### **Container Information**

Package Level 1 Units:	1 piece
Package Level 1 Width:	50 mm
Package Level 1 Length:	108 mm
Package Level 1 Height:	50 mm
Package Level 1 Gross Weight:	0.05 kg
Package Level 1 EAN:	6417019563831

## Classifications

Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch
ETIM 7:	EC002611 - Control switch

