## OC10G01PNBN00NA01



## Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information	
Extended Product Type:	OC10G01PNBN00NA01
Product ID:	1SCA126467R1001
EAN:	6417019564371
Catalog Description:	OC10G01PNBN00NA01 Cam switch
Long Description:	OC10 Cam switch, Ith=10A, ON-OFF, 1-contact, Snap-on door mounting, B lack Basic handle. Black handle and frontplate with standard text are includ ed. Special engraved frontplates to be ordered as separate items.
Ordering	
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080
Popular Downloads	

Data Sheet, Technical Information:	1SCC302009C0201
Instructions and Manuals:	1SCC302013F0006
Wiring Diagram:	1SCC302014M0201

## Dimensions

Product Net Width:	32 mm
Product Net Height:	32 mm
Product Net Depth:	69 mm
Product Net Weight:	0.04 kg

## Technical

Rated Operational Current AC-22A	(500 V) 10 A
(l <sub>e</sub> ):	
Rated Operational Current AC-23A	(230 V) Three Phase 7.6 A
(l <sub>e</sub> ):	(400 V) Three Phase 6.5 A
Rated Operational Power AC-23A	(230 V) Three Phase 1.8 kW
(P <sub>e</sub> ):	(400 V) Three Phase 3 kW
Conventional Free-air Thermal	q = 40 °C 10 A
Current (I <sub>th</sub> ):	
Conventional Thermal Current	Fully Enclosed 10 A
(I <sub>the</sub> ):	
Rated Continuous Thermal	10 A
Current:	

Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	2.5 kV
Rated Insulation Voltage (U <sub>i</sub> ):	500 V
Rated Operational Voltage:	500 V
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 0.12 kiloampere rms
Power Loss:	0.6 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	ON - OFF switch: 0-position: 12 o´clock, step angle 90°, front plate 0-1
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	1
Number of Poles:	1
Terminal Type:	Screw Terminals
Technical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 10 A
Certificates and Declarations (D	ocument Number)
Certificates and Declarations (D Declaration of Conformity - CE:	ocument Number) 1SCC302005D0201
Declaration of Conformity - CE:	1SCC302005D0201
Declaration of Conformity - CE:	1SCC302005D0201
Declaration of Conformity - CE: Instructions and Manuals: Container Information	1SCC302005D0201 1SCC302013F0006
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units:	1SCC302005D0201 1SCC302013F0006 1 piece
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units: Package Level 1 Width:	1SCC302005D0201 1SCC302013F0006 1 piece 50 mm
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units: Package Level 1 Width: Package Level 1 Length:	1SCC302005D0201 1SCC302013F0006 1 piece 50 mm 108 mm
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units: Package Level 1 Width: Package Level 1 Length: Package Level 1 Height:	1SCC302005D0201 1SCC302013F0006 1 piece 50 mm 108 mm 50 mm
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units: Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight:	1SCC302005D0201 1SCC302013F0006 1 piece 50 mm 108 mm 50 mm 50 mm
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units: Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight: Package Level 1 EAN:	1SCC302005D0201 1SCC302013F0006 1 piece 50 mm 108 mm 50 mm 50 mm
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units: Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight: Package Level 1 EAN: Classifications	1SCC302005D0201   1SCC302013F0006   1 piece   50 mm   108 mm   50 mm   0.04 kg   6417019564371
Declaration of Conformity - CE: Instructions and Manuals: Container Information Package Level 1 Units: Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight: Package Level 1 EAN: Classifications Object Classification Code:	1SCC302005D0201   1SCC302013F0006   1 piece   50 mm   108 mm   50 mm   0.04 kg   6417019564371

