## OC25G06PNBN00NU3



## Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information	
Extended Product Type:	OC25G06PNBN00NU3
Product ID:	1SCA126503R1001
EAN:	6417019564739
Catalog Description:	OC25G06PNBN00NU3 Cam switch
Long Description:	OC25 Cam switch, Ith=25A, Change-Over, 6-contacts, Snap-on door moun
	ting, Black Basic handle. Black handle and frontplate with standard text are included. Special engraved frontplates to be ordered as separate items.
	included. Special engraved noncplates to be ordered as separate items.
Ordering	
Minimum Order Quantity:	10 piece
Customs Tariff Number:	85365080
Popular Downloads	
Populai Downloads	
Data Sheet, Technical Information	: 1SCC302009C0201
Instructions and Manuals:	1SCC302013F0006
Wiring Diagram:	1SCC302014M0201
Dimensions	
Product Net Width:	51 mm
Product Net Height:	51 mm
Product Net Depth:	107 mm
Product Net Weight:	0.13 kg
Technical	
Rated Operational Current AC-22A (I <sub>e</sub> ):	A (500 V) 20 A (690 V) 20 A
Rated Operational Current AC-23A	
(I <sub>e</sub> ):	(500 V) Three Phase 8.1 A
	(230 V) Three Phase 15 A
	(400 V) Three Phase 15 A
Rated Operational Power AC-23A	(690 V) Three Phase 4.8 kW
(P <sub>e</sub> ):	(500 V) Three Phase 4.8 kW
	(230 V) Three Phase 2.6 kW
	(400 V) Three Phase 7.5 kW
Conventional Free-air Thermal Current (I <sub>th</sub> ):	q = 40 °C 25 A

Conventional Thermal Current Fully Enclosed 25 A (I<sub>the</sub>):

25 A
4 kV
690 V
690 V
for 1 s 0.3 kiloampere rms
1.8 W
3
Basic handle
Change-over switch: With 0-position: 12 o'clock, step angle 60°, front plate 1 -0-2
Black
Snap-on door mounting
6
3
Screw Terminals
600 V AC 25 A
Document Number)
1SCC302005D0201
1SCC302013F0006
1 piece
70 mm
122 mm
70 mm
0.13 kg
6417019564739
Q
EC002611 - Control switch
EC002611 - Control switch
EC002611 - Control switch

