## OC25G02RNBN00NWS1



## Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information	
Extended Product Type:	OC25G02RNBN00NWS1
Product ID:	1SCA126524R1001
EAN:	6417019564944
Catalog Description:	OC25G02RNBN00NWS1 Cam switch
Long Description:	OC25 Cam switch, Ith=25A, Change-Over, 2-contacts, Screw and door mo unting, Black Basic handle. Black handle and frontplate with standard text are included. Special engraved frontplates to be ordered as separate item s.

## Ordering

1 piece
85365080
1SCC302009C0201
1SCC302013F0006
1SCC302014M0201
51 mm
51 mm
71 mm
0.16 kg
(500 V) 20 A
(690 V) 20 A
(690 V) Three Phase 5.9 A
(500 V) Three Phase 8.1 A
(230 V) Three Phase 15 A
(400 V) Three Phase 15 A
(690 V) Three Phase 4.8 kW
(500 V) Three Phase 4.8 kW
(230 V) Three Phase 2.6 kW
(400 V) Three Phase 7.5 kW
q = 40 °C 25 A

Conventional Thermal Current (I <sub>the</sub> ):	Fully Enclosed 25 A
Rated Continuous Thermal Current:	25 A
Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	4 kV
Rated Insulation Voltage (U <sub>i</sub> ):	690 V
Rated Operational Voltage:	690 V
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 0.3 kiloampere rms
Power Loss:	1.8 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	Change-over switch: Without 0-position, step angle 60°, front plate 1-2
Color:	Black
Mounting Type:	Screw door mounting
Number of Contacts:	2
Number of Poles:	1
Terminal Type:	Screw Terminals
Technical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 25 A
Certificates and Declarations (D	ocument Number)
Declaration of Conformity - CE:	1SCC302005D0201
Instructions and Manuals:	1SCC302013F0006
Container Information	
Package Level 1 Units:	1 piece
Package Level 1 Units: Package Level 1 Width:	1 piece 70 mm
Package Level 1 Width:	70 mm
Package Level 1 Width: Package Level 1 Length:	70 mm 122 mm
Package Level 1 Width: Package Level 1 Length: Package Level 1 Height:	70 mm 122 mm 70 mm
Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight:	70 mm 122 mm 70 mm 0.16 kg
Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight: Package Level 1 EAN:	70 mm 122 mm 70 mm 0.16 kg
Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight: Package Level 1 EAN: Classifications	70 mm 122 mm 70 mm 0.16 kg 6417019564944
Package Level 1 Width: Package Level 1 Length: Package Level 1 Height: Package Level 1 Gross Weight: Package Level 1 EAN: Classifications Object Classification Code:	70 mm 122 mm 70 mm 0.16 kg 6417019564944 Q

