OC25G04MNGN00NWS2



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

Extended Product Type: OC25G04MNGN00NWS2

Product ID: 1SCA126525R1001

EAN: 6417019564951

Catalog Description: OC25G04MNGN00NWS2 Cam switch

Long Description: OC25 Cam switch, Ith=25A, Change-Over, 4-contacts, DIN-rail and screw

base mounting, Grey Modular handle. Grey handle and frontplate with stan dard text are included. Special engraved frontplates to be ordered as separ

ate items.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical 1SCC302009C0201

Information:

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

Dimensions

Product Net Width: 53 mm

Product Net Height: 45 mm

Product Net Depth: 82 mm

Product Net Weight: 0.11 kg

Technical

23A (I_e):

(P_e):

Rated Operational Current AC- (500 V) 20 A

22A (I_e): (690 V) 20 A

Rated Operational Current AC- (690 V) Three Phase 5.9 A

(500 V) Three Phase 8.1 A (230 V) Three Phase 15 A

(400 V) Three Phase 15 A

Rated Operational Power AC-23A (690 V) Three Phase 4.8 kW

(500 V) Three Phase 4.8 kW (230 V) Three Phase 2.6 kW (400 V) Three Phase 7.5 kW

Conventional Free-air Thermal q = 40 °C 25 A

Current (Ith):

Conventional Thermal Current	Fully Enclosed 25 A
(I _{the}):	
Rated Continuous Thermal	25 A
Current:	
Rated Impulse Withstand Voltage	4 kV
(U _{imp}):	
Rated Insulation Voltage (U _i):	690 V
Rated Operational Voltage:	690 V
Rated Short-time Withstand	for 1 s 0.3 kiloampere rms
Current (I _{cw}):	
Power Loss:	1.8 W
Pollution Degree:	3
Handle Type:	Modular handle
Special Functions:	Change-over switch: Without 0-position, step angle 60°, front plate 1-2
Color:	Grey
Mounting Type:	DIN-rail and screw base mounting
Number of Contacts:	4
Number of Poles:	2
Terminal Type:	Screw Terminals
echnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 25 A

Te

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SCC302005D0201 **Instructions and Manuals:** 1SCC302013F0006

Container Information

Package Level 1 Units: 1 piece Package Level 1 Width: 70 mm Package Level 1 Length: 122 mm Package Level 1 Height: 70 mm Package Level 1 Gross Weight: 0.11 kg Package Level 1 EAN: 6417019564951

Classifications

Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch
ETIM 7:	EC002611 - Control switch

