OC25G04PXBN00NWS2



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

Extended Product Type: OC25G04PXBN00NWS2

Product ID: 1SCA126527R1001

EAN: 6417019564975

OC25G04PXBN00NWS2 Cam switch **Catalog Description:**

Long Description: OC25 Cam switch, Ith=25A, Change-Over, 4-contacts, Snap-on door moun

> ting, Black Basic handle, Round front ring. Black handle included with roun d front ring. The round front ring handle is used in applications where positi

on indication or engravings is not needed on the switch.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical 1SCC302009C0201

Information:

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

Dimensions

Product Net Width: 39 mm

Product Net Height: 41 mm

Product Net Depth: 95 mm

Product Net Weight: 0.11 kg

Technical

23A (I_e):

(P_e):

Rated Operational Current AC-(500 V) 20 A

(690 V) 20 A 22A (I_e):

Rated Operational Current AC-(690 V) Three Phase 5.9 A

> (500 V) Three Phase 8.1 A (230 V) Three Phase 15 A (400 V) Three Phase 15 A

Rated Operational Power AC-23A

(690 V) Three Phase 4.8 kW

(500 V) Three Phase 4.8 kW (230 V) Three Phase 2.6 kW (400 V) Three Phase 7.5 kW

Conventional Free-air Thermal $q = 40 \, ^{\circ}C \, 25 \, A$

Current (Ith):

Conventional Thermal Current (I_{the}) :	Fully Enclosed 25 A
Rated Continuous Thermal Current:	25 A
Rated Impulse Withstand Voltage (U _{imp}):	4 kV
Rated Insulation Voltage (U _i):	690 V
Rated Operational Voltage:	690 V
Rated Short-time Withstand Current (I _{cw}):	for 1 s 0.3 kiloampere rms
Power Loss:	1.8 W
Pollution Degree:	3
Handle Type:	Basic handle, Round front ring
Special Functions:	Change-over switch: Without 0-position, step angle 60°, front plate 1-2
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	4
Number of Poles:	2
Terminal Type:	Screw Terminals
echnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 25 A

Te

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SCC302005D0201 **Instructions and Manuals:** 1SCC302013F0006

Container Information

Package Level 1 Units: 1 piece Package Level 1 Width: 70 mm Package Level 1 Length: 122 mm Package Level 1 Height: 70 mm Package Level 1 Gross Weight: 0.11 kg Package Level 1 EAN: 6417019564975

Classifications

Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch
ETIM 7:	EC002611 - Control switch

