# OC25G04RNBN00NWS2



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

Extended Product Type: OC25G04RNBN00NWS2

**Product ID**: 1SCA126528R1001

**EAN:** 6417019564982

Catalog Description: OC25G04RNBN00NWS2 Cam switch

Long Description: OC25 Cam switch, Ith=25A, Change-Over, 4-contacts, Screw and door mo

unting, Black Basic handle. Black handle and frontplate with standard text are included. Special engraved frontplates to be ordered as separate item

s.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical 1SCC302009C0201

Information:

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

**Dimensions** 

Product Net Width: 51 mm

Product Net Height: 51 mm

Product Net Depth: 83 mm

Product Net Weight: 0.18 kg

**Technical** 

23A (I<sub>e</sub>):

(P<sub>e</sub>):

Rated Operational Current AC- (500 V) 20 A

22A (I<sub>e</sub>): (690 V) 20 A

Rated Operational Current AC- (690 V) Three Phase 5.9 A

(500 V) Three Phase 8.1 A (230 V) Three Phase 15 A

(400 V) Three Phase 15 A

Rated Operational Power AC-23A (690 V) Three Phase 4.8 kW

(500 V) Three Phase 4.8 kW (230 V) Three Phase 2.6 kW (400 V) Three Phase 7.5 kW

Conventional Free-air Thermal q = 40 °C 25 A

Current (Ith):

Conventional Thermal Current ( $I_{the}$ ):	Fully Enclosed 25 A
Rated Continuous Thermal Current:	25 A
Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	4 kV
Rated Insulation Voltage (U <sub>i</sub> ):	690 V
Rated Operational Voltage:	690 V
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 0.3 kiloampere rms
Power Loss:	1.8 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	Change-over switch: Without 0-position, step angle 60°, front plate 1-2
Color:	Black
Mounting Type:	Screw door mounting
Number of Contacts:	4
Number of Poles:	2
Terminal Type:	Screw Terminals
echnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 25 A

## Τe

## Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SCC302005D0201 **Instructions and Manuals:** 1SCC302013F0006

## **Container Information**

Package Level 1 Units:	1 piece
Package Level 1 Width:	70 mm
Package Level 1 Length:	122 mm
Package Level 1 Height:	70 mm
Package Level 1 Gross Weight:	0.18 kg
Package Level 1 EAN:	6417019564982

## Classifications

Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch
ETIM 7:	EC002611 - Control switch

