## OC10G06PNBN00NSO23



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

**Extended Product Type:** OC10G06PNBN00NSO23

**Product ID:** 1SCA126553R1001 EAN: 6417019565231

OC10G06PNBN00NSO23 Cam switch **Catalog Description:** 

Long Description: OC10 Cam switch, Ith=10A, Multi-Step, 6-contacts, Snap-on door mountin

g, Black Basic handle. Black handle and frontplate with standard text are in

cluded. Special engraved frontplates to be ordered as separate items.

Ordering

**Minimum Order Quantity:** 1 piece

**Customs Tariff Number:** 85365080

Popular Downloads

**Data Sheet, Technical Information:** 1SCC302009C0201

**Instructions and Manuals:** 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

**Dimensions** 

**Product Net Width:** 32 mm

**Product Net Height:** 32 mm

**Product Net Depth:** 93 mm

**Product Net Weight:** 0.06 kg

Technical

**Rated Operational Current AC-22A** (500 V) 10 A

(l<sub>e</sub>):

(P<sub>e</sub>):

Rated Operational Current AC-23A (230 V) Three Phase 7.6 A

(400 V) Three Phase 6.5 A (l<sub>e</sub>):

Rated Operational Power AC-23A (230 V) Three Phase 1.8 kW

(400 V) Three Phase 3 kW

**Conventional Free-air Thermal** 

g = 40 °C 10 A

Current (Ith):

**Conventional Thermal Current** Fully Enclosed 10 A

 $(I_{the})$ :

**Rated Continuous Thermal** 10 A

**Current:** 

Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	2.5 kV
Rated Insulation Voltage (U <sub>i</sub> ):	500 V
Rated Operational Voltage:	500 V
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 0.12 kiloampere rms
Power Loss:	0.6 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	Multistep switch: 2-step, with 0-position: 12 o'clock, step angle 30°, front plat e 0-1-2
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	6
Number of Poles:	3
Terminal Type:	Screw Terminals
Гесhnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 10 A
Certificates and Declarations (	Document Number)
Declaration of Conformity - CE:	1SCC302005D0201
Instructions and Manuals:	1SCC302013F0006
Container Information	
Package Level 1 Units:	1 piece
Package Level 1 Width:	50 mm
Package Level 1 Length:	108 mm
Package Level 1 Height:	50 mm

## Package Level 1 Gross Weight: Package Level 1 EAN:

Classifications

Object Classification Code:	Q

ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch
ETIM 7:	EC002611 - Control switch

0.06 kg

6417019565231

