OC25G02PXBN00NSO21



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

Extended Product Type: OC25G02PXBN00NSO21

Product ID: 1SCA126557R1001

EAN: 6417019565279

Catalog Description: OC25G02PXBN00NSO21 Cam switch

Long Description: OC25 Cam switch, Ith=25A, Multi-Step, 2-contacts, Snap-on door mountin

g, Black Basic handle, Round front ring. Black handle included with round f ront ring. The round front ring handle is used in applications where position

indication or engravings is not needed on the switch.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical Information: 1SCC302009C0201

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

Dimensions

Product Net Width: 39 mm

Product Net Height: 41 mm

Product Net Depth: 83 mm

Product Net Weight: 0.09 kg

Technical

Rated Operational Current AC-22A (500 V) 20 A

(I_e): (690 V) 20 A

Rated Operational Current AC-23A (690 V) Three Phase 5.9 A

(l_e): (500 V) Three Phase 8.1 A

(230 V) Three Phase 15 A (400 V) Three Phase 15 A

Rated Operational Power AC-23A (690 V) Three Phase 4.8 kW

(P_e): (500 V) Three Phase 4.8 kW

(500 V) Three Phase 4.8 kW (230 V) Three Phase 2.6 kW

(400 V) Three Phase 7.5 kW

Conventional Free-air Thermal $q = 40 \degree C 25 A$

Current (Ith):

Conventional Thermal Current (I _{the}):	Fully Enclosed 25 A
Rated Continuous Thermal Current:	25 A
Rated Impulse Withstand Voltage (U _{imp}):	4 kV
Rated Insulation Voltage (U _i):	690 V
Rated Operational Voltage:	690 V
Rated Short-time Withstand Current (I _{cw}):	for 1 s 0.3 kiloampere rms
Power Loss:	1.8 W
Pollution Degree:	3
Handle Type:	Basic handle, Round front ring
Special Functions:	Multistep switch: 2-step, with 0-position: 12 o'clock, step angle 30°, front plat e 0-1-2
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	2
Number of Poles:	1
Terminal Type:	Screw Terminals

Те

Ampere Rating UL/CSA: 600 V AC 25 A

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SCC302005D0201 Instructions and Manuals: 1SCC302013F0006

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	70 mm
Package Level 1 Length:	122 mm
Package Level 1 Height:	70 mm
Package Level 1 Gross Weight:	0.09 kg
Package Level 1 EAN:	6417019565279

Classifications

Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch

ETIM 7:

