OC10G03PNBN00NSO31



Products + Low Voltage Products and Systems + Switches + Cam Switches

General Information

Extended Product Type: OC10G03PNBN00NSO31

Product ID: 1SCA126564R1001

EAN: 6417019565347

Catalog Description: OC10G03PNBN00NSO31 Cam switch

Long Description: OC10 Cam switch, Ith=10A, Multi-Step, 3-contacts, Snap-on door mountin

g, Black Basic handle. Black handle and frontplate with standard text are in

cluded. Special engraved frontplates to be ordered as separate items.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical Information: 1SCC302009C0201

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

Dimensions

Product Net Width: 32 mm

Product Net Height: 32 mm

Product Net Depth: 81 mm

Product Net Weight: 0.05 kg

Technical

Rated Operational Current AC-22A (50

(500 V) 10 A

(l_e):

Rated Operational Current AC-23A

(230 V) Three Phase 7.6 A

(l_e): (4

(400 V) Three Phase 6.5 A

Rated Operational Power AC-23A

(P_e):

(230 V) Three Phase 1.8 kW

(400 V) Three Phase 3 kW

Conventional Free-air Thermal

 $q = 40 \, ^{\circ}C \, 10 \, A$

Current (Ith):

Conventional Thermal Current

Fully Enclosed 10 A

(I_{the}):

Rated Continuous Thermal

10 A

Current:

Rated Impulse Withstand Voltage (U _{imp}):	2.5 kV
Rated Insulation Voltage (U _i):	500 V
Rated Operational Voltage:	500 V
Rated Short-time Withstand Current (I _{cw}):	for 1 s 0.12 kiloampere rms
Power Loss:	0.6 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	Multistep switch: 3-step, with 0-position: 12 o'clock, step angle 30°, front plat e 0-1-2-3
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	3
Number of Poles:	1
Terminal Type:	Screw Terminals
Гесhnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 10 A
Certificates and Declarations (D	Oocument Number)
Declaration of Conformity - CE:	1SCC302005D0201
Instructions and Manuals:	1SCC302013F0006
Container Information	
Package Level 1 Units:	1 piece
	50 mm
Package Level 1 Width:	50 Hill
Package Level 1 Width: Package Level 1 Length:	108 mm
-	

6417019565347

EC002611 - Control switch

EC002611 - Control switch

EC002611 - Control switch

Q

Package Level 1 EAN:

Object Classification Code:

Classifications

ETIM 5: ETIM 6:

ETIM 7:

