## OC10G08PNBN00NSO42



Products + Low Voltage Products and Systems + Switches + Cam Switches

**General Information** 

Extended Product Type: OC10G08PNBN00NSO42

Product ID: 1SCA126587R1001 EAN: 6417019565576

Catalog Description: OC10G08PNBN00NSO42 Cam switch

Long Description: OC10 Cam switch, Ith=10A, Multi-Step, 8-contacts, Snap-on door mountin

g, Black Basic handle. Black handle and frontplate with standard text are in

cluded. Special engraved frontplates to be ordered as separate items.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical Information: 1SCC302009C0201

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

**Dimensions** 

Product Net Width: 32 mm

Product Net Height: 32 mm

Product Net Depth: 105 mm

Product Net Weight: 0.07 kg

**Technical** 

Rated Operational Current AC-22A (500 V) 10 A

(l<sub>e</sub>):

Rated Operational Current AC-23A (230 V) Three Phase 7.6 A

(I<sub>e</sub>): (400 V) Three Phase 6.5 A

Rated Operational Power AC-23A (230 V) Three Phase 1.8 kW

(P<sub>e</sub>): (400 V) Three Phase 3 kW

Conventional Free-air Thermal q = 40 °C 10 A

Current (Ith):

Conventional Thermal Current Fully Enclosed 10 A

Rated Continuous Thermal 10 A

**Current:** 

 $(I_{the})$ :

Rated Impulse Withstand Voltage (U <sub>imp</sub> ):	2.5 kV
Rated Insulation Voltage (U <sub>i</sub> ):	500 V
Rated Operational Voltage:	500 V
Rated Short-time Withstand Current (I <sub>cw</sub> ):	for 1 s 0.12 kiloampere rms
Power Loss:	0.6 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	Multistep switch: 4-step, with 0-position: 9 o'clock, step angle 30°, front plate 0-1-2-3-4
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	8
Number of Poles:	2
Terminal Type:	Screw Terminals
Гесhnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 10 A
Certificates and Declarations (D	ocument Number)
Declaration of Conformity - CE:	1SCC302005D0201
Instructions and Manuals:	1SCC302013F0006
Container Information	
Package Level 1 Units:	1 piece
Package Level 1 Width:	50 mm
Package Level 1 Length:	132 mm
Package Level 1 Height:	50 mm
Package Level 1 Gross Weight:	0.07 kg

## Classifications

Package Level 1 EAN:

Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch
ETIM 7:	EC002611 - Control switch

6417019565576

