## OC25G02PNBN00NSE15



Products + Low Voltage Products and Systems + Switches + Cam Switches

**General Information** 

Extended Product Type: OC25G02PNBN00NSE15

**Product ID:** 1SCA126634R1001

**EAN:** 6417019566047

Catalog Description: OC25G02PNBN00NSE15 Cam switch

Long Description: OC25 Cam switch, Ith=25A, Motor - Pumpstart, 2-contacts, Snap-on door

mounting, Black Basic handle. Black handle and frontplate with standard te xt are included. Special engraved frontplates to be ordered as separate ite

ms.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical 1SCC302009C0201

Information:

Instructions and Manuals: 1SCC302013F0006

Wiring Diagram: 1SCC302014M0201

**Dimensions** 

Product Net Width: 51 mm

Product Net Height: 51 mm

Product Net Depth: 83 mm

Product Net Weight: 0.09 kg

**Technical** 

23A (I<sub>e</sub>):

(P<sub>e</sub>):

Rated Operational Current AC- (500 V) 20 A

**22A** (I<sub>e</sub>): (690 V) 20 A

Rated Operational Current AC- (690 V) Three Phase 5.9 A

(500 V) Three Phase 8.1 A (230 V) Three Phase 15 A

(400 V) Three Phase 15 A

Rated Operational Power AC-23A (690 V) Three Phase 4.8 kW

(500 V) Three Phase 4.8 kW (230 V) Three Phase 2.6 kW (400 V) Three Phase 7.5 kW

Conventional Free-air Thermal q = 40 °C 25 A

Current (Ith):

<b>Conventional Thermal Current</b>	Fully Enclosed 25 A
(I <sub>the</sub> ):	
Rated Continuous Thermal Current:	25 A
Rated Impulse Withstand Voltage	4 kV
(U <sub>imp</sub> ):	
Rated Insulation Voltage (U <sub>i</sub> ):	690 V
Rated Operational Voltage:	690 V
Rated Short-time Withstand	for 1 s 0.3 kiloampere rms
Current (I <sub>cw</sub> ):	
Power Loss:	1.8 W
Pollution Degree:	3
Handle Type:	Basic handle
Special Functions:	Motor control switch: Pumpstart switch, front plate 0-1
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	2
Number of Poles:	1
Terminal Type:	Screw Terminals
Гесhnical UL/CSA	
Ampere Rating UL/CSA:	600 V AC 25 A
Certificates and Declarations (	Document Number)
Declaration of Conformity - CE:	1SCC302005D0201
Instructions and Manuals:	1SCC302013F0006

## Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	70 mm
Package Level 1 Length:	122 mm
Package Level 1 Height:	70 mm
Package Level 1 Gross Weight:	0.09 kg
Package Level 1 EAN:	6417019566047

## Classifications

Object Classification Code:	Q
ETIM 5:	EC002611 - Control switch
ETIM 6:	EC002611 - Control switch
ETIM 7:	EC002611 - Control switch

