## A41 111-100



Products + Low Voltage Products and Systems + Modular DIN Rail Products + Electricity Meters for DIN Rail Electricity Meters

| General Information    |  |
|------------------------|--|
| Extended Product Type: | A41 111-100  |
| Product ID:            | 2CMA170554R1000  |
| ABB Type Designation:  | A41 111-100  |
| EAN:                   | 7392696705547  |
| Catalog Description:   | Active energy Cl. B;   |
| Long Description:      | Electricity meter, 1 phase, Active energy Cl. 1 & B, Approved according to: IEC 62052-11, IEC 62053-21, EN 50470-1, EN 50470-3 |

## Ordering

| EAN:                              | 7392696705547   |
|-----------------------------------|---|
| Minimum Order Quantity:           | 1 piece   |
| Customs Tariff Number:            | 90283011  |
| Dimensions                        |   |
| Product Net Width:                | 70 mm   |
| Product Net Height:               | 97 mm   |
| Product Net Depth:                | 65 mm   |
| Product Net Weight:               | 0.236 kg  |
| Container Information             |   |
| Package Level 1 Units:            | 1 piece   |
| Package Level 1 Width:            | 100 mm  |
| Package Level 1 Height:           | 68 mm   |
| Package Level 1 Length:           | 94 mm   |
| Package Level 1 Gross Weight:     | 0.308 kg  |
| Package Level 1 EAN:              | 7392696705547   |
| Environmental                     |   |
| RoHS Status:                      | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
| Additional Information            |   |
| Accuracy:                         | Active energy CI. B   |
| Communication Interface:          | Pulse output  |
| Communication:                    | Pulse output / IR port  |
| Connecting Capacity Main Circuit: | 1 25 mm²  |

| Degree of Protection:              | IP20                                      |
|------------------------------------|---|
| Enclosure Material:                | Plastic                                   |
| Frequency ( <i>f</i> ):            | 50/60 Hz                                  |
| Function:                          | Electricity meter                         |
| Meter Type:                        | Direct connected                          |
| Mounting Type:                     | DIN rail                                  |
| Number of Phases:                  | 1   |
| Product Main Type:                 | A41                                       |
| Product Name:                      | Electricity Meter                         |
| Rated Current (I <sub>n</sub> ):   | 80 A                                      |
| Rated Voltage (U <sub>r</sub> ):   | 57 288 V                                  |
| RoHS Date:                         | 2011-44                                   |
| Standards:                         | EN 50470-1                                |
| Sub-Function:                      | Steel                                     |
| Certificates and Declarations (D   | ocument Number)                           |
| Data Sheet, Technical Information: | 2CMC480001C0201                           |
| Declaration of Conformity - CE:    | 2CMC484003D0001                           |
| Environmental Information:         | 2CMC484004D0001                           |
| Instructions and Manuals:          | 2CMC484004M0201                           |
| RoHS Information:                  | 2CMC484006                                |
| Classifications                    |   |
| E-nummer:                          | 0980680                                   |
| ETIM 4:                            | EC001506 - Electronic kilowatt-hour meter |
| ETIM 5:                            | EC001506 - Kilowatt-hour meter            |
|                                    |   |
| ETIM 6:                            | EC001506 - Kilowatt-hour meter            |

