B24 112-100



Products - Low Voltage Products and Systems - Modular DIN Rail Products - Electricity Meters for DIN Rail - Electricity Meters

General Information

Extended Product Type: B24 112-100

Product ID: 2CMA100178R1000

ABB Type Designation: B24 112-100

EAN: 7392696001786

Catalog Description: Active energy Cl. 1;

Long Description: Electricity meter, 3 phase, Active energy Cl. 1 & B, Approved according to:

IEC 62052-11, IEC 62053-21, EN 50470-1, EN 50470-3

Ordering

EAN: 7392696001786

Minimum Order Quantity: 1 piece

Customs Tariff Number: 90283019

Dimensions

Product Net Width: 70 mm

Product Net Height: 97 mm

Product Net Depth: 65 mm

Product Net Weight: 0.25 kg

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width: 100 mm

Package Level 1 Height: 68 mm

Package Level 1 Length: 94 mm

Package Level 1 Gross Weight: 0.33 kg

Package Level 1 EAN: 7392696001786

Environmental

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Accuracy: Active energy Cl. 1

Communication Interface: Pulse output

Communication: Modbus RTU / EQ bus

Connecting Capacity Main Circuit: 0.5 ... 10 mm²

Degree of Protection:	IP20		
Enclosure Material:	Plastic		
Frequency (f):	50/60 Hz		
Function:	Electricity meter		
Meter Type:	Transformer connected		
Mounting Type:	DIN rail		
Number of Phases:	3		
Product Main Type:	B24		
Product Name:	Electricity Meter		
Rated Current (I _n):	6 A		
Rated Voltage (U _r):	3x380 3x415 V		
RoHS Date:	2012-36		
Standards:	IEC 62053-21		
Sub-Function:	Steel		

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	2CMC481003C0201
Declaration of Conformity - CE:	2CMC485002D0001
Environmental Information:	2CMC485003D0001
Instructions and Manuals:	2CMC485014M0201
RoHS Information:	2CMC485007

Classifications

E-nummer:	0900045		
ETIM 4:	EC001506 - Electronic kilowatt-hour meter		
ETIM 5:	EC001506 - Kilowatt-hour meter		
ETIM 6:	EC001506 - Kilowatt-hour meter		
Object Classification Code:	Р		



