DDA203 AC-63/0,03



Products + Low Voltage Products and Systems + Modular DIN Rail Products + Residual Current Devices RCDs + Residual Current Devices RCD Blocks

| General Information | |
|---|---|
| Extended Product Type: | DDA203 AC-63/0,03 |
| Product ID: | 2CSB203001R1630 |
| EAN: | 8012542792703 |
| Catalog Description: | DDA203 AC-63/0,03 - RCD Block |
| Long Description: | The RCD block DDA200 series is suitable for assembly with MCBs S200 s eries. It assures protection against the effects of sinusoidal alternating eart h fault currents, protection, against indirects contacts and additional protec tion against direct (with sensitivity = 30 mA) contacts. Applications: residen tial, commercial, industrial. |
| Ordering | |
| Minimum Order Quantity: | 1 piece |
| Customs Tariff Number: | 85363030 |
| Popular Downloads | |
| Data Sheet, Technical Information | n: 2CSC400002D0209 |
| Instructions and Manuals: | 2CSB423001D003 |
| Dimensions | |
| Dimensions | |
| Product Net Width: | 0.122 m |
| | 0.122 m 0.093 m |
| Product Net Width: | |
| Product Net Width: Product Net Height: | 0.093 m |
| Product Net Width: Product Net Height: Product Net Depth: | 0.093 m 0.069 m |
| Product Net Width: Product Net Height: Product Net Depth: Product Net Weight: | 0.093 m 0.069 m |
| Product Net Width: Product Net Height: Product Net Depth: Product Net Weight: Technical | 0.093 m 0.069 m 0.311 kg |
| Product Net Width: Product Net Height: Product Net Depth: Product Net Weight: Technical Standards: | 0.093 m 0.069 m 0.311 kg IEC/EN 61009 Ann. G |
| Product Net Width: Product Net Height: Product Net Depth: Product Net Weight: Technical Standards: Operating Characteristic: | 0.093 m 0.069 m 0.311 kg IEC/EN 61009 Ann. G Instantaneous |
| Product Net Width:Product Net Height:Product Net Depth:Product Net Weight:TechnicalStandards:Operating Characteristic:Type of Residual Current: | 0.093 m 0.069 m 0.311 kg IEC/EN 61009 Ann. G Instantaneous AC type |
| Product Net Width:Product Net Height:Product Net Depth:Product Net Weight:TechnicalStandards:Operating Characteristic:Type of Residual Current:Rated Residual Current: | 0.093 m 0.069 m 0.311 kg IEC/EN 61009 Ann. G Instantaneous AC type 30 mA |
| Product Net Width:Product Net Height:Product Net Depth:Product Net Weight:TechnicalStandards:Operating Characteristic:Type of Residual Current:Rated Residual Current:Rated Current (In): | 0.093 m 0.069 m 0.311 kg IEC/EN 61009 Ann. G Instantaneous AC type 30 mA 63 A |

Environmental

| Ambient Air Temperature: | Operation -25 +55 °C Storage -40 +70 °C |
|----------------------------------|--|
| RoHS Status: | Following EU Directive 2011/65/EU |
| Certificates and Declarations (D | ocument Number) |
| Declaration of Conformity - CE: | 9AKK106713A5614 |
| Environmental Information: | document not needed |
| Instructions and Manuals: | 2CSB423001D003 |
| Container Information | |
| Package Level 1 Units: | 1 piece |
| Package Level 1 Width: | 0.102 m |
| Package Level 1 Height: | 0.075 m |
| Package Level 1 Length: | 0.147 m |
| Package Level 1 Gross Weight: | 0.368 kg |
| Package Level 1 EAN: | 8012542792710 |

Classifications

| Object Classification Code: | Q |
|-----------------------------|---|
| ETIM 4: | EC002297 - Residual current circuit breaker (RCCB) module |
| ETIM 5: | EC002297 - Residual current circuit breaker (RCCB) module |
| ETIM 6: | EC002297 - Residual current circuit breaker (RCCB) module |
| ETIM 7: | EC002297 - Residual current circuit breaker (RCCB) module |

