

# CR-S110/125VADC1SZ



Products → Low Voltage Products and Systems → Control Products → Electronic Relays and Controls  
→ Interface Relays and Optocouplers

## General Information

<b>Extended Product Type:</b>	CR-S110/125VADC1SZ
<b>Product ID:</b>	1SVR405521R6200
<b>EAN:</b>	4013614499258
<b>Catalog Description:</b>	CR-S110/125VADC1SZ Socket 1c/o, A1-A2=110-125VAC/DC, 250VAC
<b>Long Description:</b>	CR-S110/125VADC1SZ Socket 1c/o, A1-A2=110-125VAC/DC, 250VAC spring terminals

## Ordering

<b>Minimum Order Quantity:</b>	10 piece
<b>Customs Tariff Number:</b>	85369010

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	2CDC117022D0201
<b>Instructions and Manuals:</b>	2CDC117022D0201

## Dimensions

<b>Product Net Width:</b>	6.2 mm
<b>Product Net Height:</b>	76.6 mm
<b>Product Net Depth:</b>	94.7 mm
<b>Product Net Weight:</b>	0.025 kg

## Technical

<b>Function:</b>	Accessory for interface relays CR-S
<b>Sub-Function:</b>	Socket
<b>Rated Control Supply Voltage (U<sub>s</sub>):</b>	110 ... 125 V AC/DC
<b>Terminal Type:</b>	Spring Terminals

## Environmental

<b>Ambient Air Temperature:</b>	Operation -40 ... +55 °C Storage 0 ... +40 °C
<b>RoHS Status:</b>	Following EU Directive 2011/65/EU

## Technical UL/CSA

<b>Connecting Capacity UL/CSA:</b>	Flexible 14 AWG Rigid 14 AWG
<b>Tightening Torque UL/CSA:</b>	4.42 in·lb

## Certificates and Declarations (Document Number)

<b>CSA Certificate:</b>	CSA_262671-2785566
<b>cURus Certificate:</b>	cURus508_E244328
<b>Declaration of Conformity - CE:</b>	1SVD982017-0001
<b>EAC Certificate:</b>	EAC_RU_C-PL.ME77.B.01873
<b>Environmental Information:</b>	1SAA981009-2403
<b>Instructions and Manuals:</b>	2CDC117022D0201
<b>RoHS Information:</b>	1SVD982017-0001

## Container Information

<b>Package Level 1 Units:</b>	10 piece
<b>Package Level 1 Width:</b>	93 mm
<b>Package Level 1 Height:</b>	81 mm
<b>Package Level 1 Length:</b>	66 mm
<b>Package Level 1 Gross Weight:</b>	0.26 kg
<b>Package Level 1 EAN:</b>	4013614486388

## Classifications

<b>Object Classification Code:</b>	K
<b>E-nummer:</b>	4001397
<b>ETIM 4:</b>	EC001456 - Relay socket
<b>ETIM 5:</b>	EC001456 - Relay socket
<b>ETIM 6:</b>	EC001456 - Relay socket
<b>ETIM 7:</b>	EC001456 - Relay socket
<b>eClass:</b>	7.0 27371603
<b>UNSPSC:</b>	39121516



