

CR-S110VADC1CRGZ



Products → Low Voltage Products and Systems → Control Products → Electronic Relays and Controls
→ Interface Relays and Optocouplers

General Information

Extended Product Type:	CR-S110VADC1CRGZ
Product ID:	1SVR405541R6220
EAN:	4013614499357
Catalog Description:	CR-S110VADC1CRGZ Interface relay cpl. 1c/o, A1-A2=110VAC/DC, Output=6A/250VAC
Long Description:	CR-S110VADC1CRGZ Interface relay cpl. 1c/o, A1-A2=110VAC/DC, Output=6A/250VAC gold-plated contacts, spring terminals

Ordering

Minimum Order Quantity:	10 piece
Customs Tariff Number:	85364900

Popular Downloads

Data Sheet, Technical Information:	2CDC117022D0201
Instructions and Manuals:	2CDC117022D0201

Dimensions

Product Net Width:	6.2 mm
Product Net Height:	76.6 mm
Product Net Depth:	94.7 mm
Product Net Weight:	0.03 kg

Technical

Function:	Fully assembled interface relay CR-S
Sub-Function:	Relay with gold-plated contacts
Output:	1 c/o (SPDT) contact
Output Signal:	250 V / 6 A
Rated Control Supply Voltage (U_s):	110 V AC/DC
Terminal Type:	Spring Terminals

Environmental

Ambient Air Temperature:	Operation -40 ... +55 °C Storage 0 ... +40 °C
RoHS Status:	Following EU Directive 2011/65/EU

Technical UL/CSA

Connecting Capacity UL/CSA: Flexible 14 AWG
Rigid 14 AWG

Tightening Torque UL/CSA: 4.42 in·lb

Certificates and Declarations (Document Number)

CSA Certificate: CSA_262671-2785865

cURus Certificate: cURus508_E244328

Declaration of Conformity - CE: 1SVD982017-0001

EAC Certificate: EAC_RU_C-PL.ME77.B.01873

Environmental Information: 1SAA981009-2403

Instructions and Manuals: 2CDC117022D0201

RoHS Information: 1SVD982017-0001

Container Information

Package Level 1 Units: 10 piece

Package Level 1 Width: 93 mm

Package Level 1 Height: 81 mm

Package Level 1 Length: 66 mm

Package Level 1 Gross Weight: 0.32 kg

Package Level 1 EAN: 4013614486722

Classifications

Object Classification Code: K

E-nummer: 4001407

ETIM 4: EC001437 - Switching relay

ETIM 5: EC001437 - Switching relay

ETIM 6: EC001437 - Switching relay

ETIM 7: EC001437 - Switching relay

eClass: 7.0 27371601

