DS201 B13 A30



Products + Low Voltage Products and Systems + Modular DIN Rail Products + Residual Current Devices RCDs + Residual Current Circuit Breakers with Overcurrent Protection RCBO

Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135	Constal Information	General Information	
Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering	Product ID: 2CSR255140R1135			DS201 B13 A30
EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering				
Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering		Extended Product Type: DS201 B13 A30		
n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering		Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135	Catalog Description:	DS201 B13 A30 - RCBO
	Catalog Description: DS201 B13 A30 - RCBO	Extended Product Type: DS201 B13 A30 Product ID: 2CSR255140R1135 EAN: 8012542655503	Long Description:	n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional
Minimum Order Quantity: 1 niece	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional	Ordering	
	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Minimum Order Quantity:	1 piece
Customs Tariff Number: 85363010	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering	Customs Tariff Number:	85363010
	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering 1 piece	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering1 piece	Popular Downloads	
Popular Downloads	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering1 pieceCustoms Tariff Number:85363010	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingMinimum Order Quantity:1 pieceKustoms Tariff Number:85363010	Data Sheet, Technical Informatior	n: 2CSC400002D0209
	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingMinimum Order Quantity:1 pieceMuser Sariff Number:85363010Popular DownloadsState Sariff	Instructions and Manuals:	9AKK106354A0766
Data Sheet, Technical Information: 2CSC400002D0209	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering 1 piece 85363010 Popular Downloads 85363010 2CSC400002D0209	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering1 pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular DownloadsZCSC400002D0209	Dimensions	
Data Sheet, Technical Information: 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceSolad Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766	Product Net Width:	0.035 m
Data Sheet, Technical Information: 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Dimensions Value	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering1 pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsContext State Sta	Product Net Height:	0.085 m
Data Sheet, Technical Information: 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Dimensions 9AKK106354A0766 Product Net Width: 0.035 m	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions9ndKK106354A0766Product Net Width:0.035 m	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nt; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering1 pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsProduct Net Width:Product Net Width:0.035 m	Product Net Depth:	0.069 m
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 m	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsProduct Net Width:0.035 mProduct Net Height:0.085 m	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering1 pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsProduct Net Width:0.035 mProduct Net Height:0.085 m	Product Net Weight:	0.239 kg
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 mProduct Net Depth:0.069 m	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsProduct Net Width:0.035 mProduct Net Height:0.069 m	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsProduct Net Width:0.035 mProduct Net Height:0.069 m	Technical	
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 mProduct Net Depth:0.069 mProduct Net Weight:0.239 kg	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering1 pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions9AKK106354A0766Product Net Width:0.035 mProduct Net Height:0.069 mProduct Net Weight:0.239 kg	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre n direct pulsat ing earth fault currents; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsProduct Net Width:0.035 mProduct Net Width:0.085 mProduct Net Height:0.069 mProduct Net Weight:0.239 kg	Standards:	IEC 61009-1 IEC 61009-2-1 EN 61009-1 EN 61009-2-1
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 mProduct Net Depth:0.069 mProduct Net Weight:0.239 kgTechnicalIEC 61009-1 IEC 61009-2-1 EN 61009-1	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protection no fend user single-phase circuits against overload and short-circuit currents; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering I piece Customs Tariff Number: 1 piece Customs Tariff Number: 85363010 Popular Downloads 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Dimensions 9AKK106354A0766 Product Net Width: 0.035 m Product Net Height: 0.085 m Product Net Width: 0.239 kg Technical No69 m Product Net Weight: 0.239 kg Ec 61009-1 IEC 61009-1 IEC 61009-1 IEC 61009-1 IEC 61009-1 EC 61009-1 IEC 61009-1 EC 61009-1 IEC 61009-1 EN 61009-1	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protection against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsProduct Net Width:0.035 mProduct Net Width:0.069 mProduct Net Weight:0.239 kgTechnicalIEC 61009-1 IEC 61009-21 EN 61009-1	Type of Residual Current:	A type
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 mProduct Net Depth:0.069 mProduct Net Weight:0.239 kgTechnicalIEC 61009-1 IEC 61009-2-1 EN 61009-2-1	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering I piece S5363010 Popular Downloads 85363010 Popular Downloads 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Dimensions 9AKK106354A0766 Product Net Width: 0.035 m Product Net Weight: 0.085 m Product Net Weight: 0.239 kg Technical IEC 61009-1 IEC 61009-1 EC 61009-2.1 Extensions IEC 61009-2.1	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:801254265503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).C/dering1 pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Instructions and Manuals:9AKK106354A0766Product Net Weight:0.035 mProduct Net Weight:0.035 mProduct Net Weight:0.239 kgExchnicalEC 61009-1 ICC 61009-2-1 EN 61009-2-1 EN 61009-2-1	Rated Residual Current:	30 mA
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.035 mProduct Net Height:0.069 mProduct Net Depth:0.069 mProduct Net Weight:0.239 kgTechnicalIEC 61009-1 IEC 61009-2-1 EN 61009-2-1 EN 61009-2-1Type of Residual Current:A type	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protection of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering 1 piece Customs Tariff Number: 85363010 Popular Downloads 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Dimensions 9AKK106354A0766 Product Net Width: 0.035 m Product Net Wight: 0.035 m Product Net Height: 0.039 kg Technical Standards: IEC 61009-1 IEC 61009-1 IEC 61009-1 IEC 61009-1 IEC 61009-2-1 EN 61009-2-1 EN 61009-2-1 EN 61009-1	Extended Product Type: DS201 B13 A30 Product ID: 2CSR255140R1135 EA: 801254265503 Catalog Description: DS201 B13 A30 - RCBO Long Description: The DS201 series RCBO Dis a 1P+N in two-modules device for the protection of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Orderring I piece Minimum Order Quantity: 1 piece Data Sheet, Technical Information: 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Product Net Width: 0.035 m Product Net Width: 0.035 m Product Net Wight: 0.035 m Product Net Wight: 0.239 kg Technical IEC 61009-1 EC 61009-2-1 EN 61009-2-1 Extendereds: IEC 61009-1 EN 61009-2-1 Extendereds: IEC 61009-1 EN 61009-2-1 Extendereds: IEC 61009-1 EN 61009-2-1	Tripping Characteristic:	В
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 mProduct Net Height:0.069 mProduct Net Weight:0.239 kgTechnicalIEC 61009-1 IEC 61009-2-1 EN 61009-2-1Type of Residual Current:A typeRated Residual Current:30 mA	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protection of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering I piece Minimum Order Quantity: 1 piece Customs Tariff Number: 85363010 Popular Downloads 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Dimensions 9AKK106354A0766 Product Net Width: 0.035 m Product Net Width: 0.035 m Product Net Wight: 0.239 kg Product Net Weight: 0.239 kg Technical IEC 61009-1 IEC 61009-2.1 EN 61009-2.1 EN 61009-2.1 Type of Residual Current: A type Rated Residual Current: 30 mA	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAH:8012542655603Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit currents; protection against the effects of sinusoidal atternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).OrderringI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:2CSC400002D0209Instructions and Manuals:9AKK106354A0766DimensionsI condot series RCBProduct Net Width:0.035 mProduct Net Dopth:0.069 mProduct Net Dopth:0.069 mProduct Net Wight:0.239 kgTechnicalIEC 61009-1 I EC 61009-2-1 EN 61009-2-1 EN 61009-2-1 EN 61009-2-1 EN 61009-2-1Type of Residual Current:A typeReted Residual Current:30 mA	Rated Current (I _n):	13 A
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions:0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 mProduct Net Depth:0.069 mProduct Net Weight:0.239 kgIEC 61009-1 IEC 61009-2-1 EN 61009-2.1Type of Residual Current:A typeTripping Characteristic:B	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat iprotection against the effects of sinusoidal alternating and direct pulsat iprotection against direct contacts (with sensitivity = 30 mA).OrderingI pieceMinimum Order Quantity:1 pieceCustoms Tariff Number:85363010Popular Downloads2CSC400002D0209Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions9Product Net Width:0.035 mProduct Net Weight:0.085 mProduct Net Weight:0.089 mProduct Net Weight:0.099 mProduct Net Weight:0.129 kgTechnicalIEC 61009-1 EC 61009-1 EN 61009-2.1Type of Residual Current:A typeRated Residual Current:A typeRated Residual Current:B	Extended Product Type: DS201 B13 A30 Product ID: 2CSR255140R1135 EA: 801254265503 Catalog Description: DS201 B13 A30 - RCBO Long Description: DS201 B13 A30 - RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit currer nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Crtdering #Minimum Order Quantity: 1 piece Quatoms Tariff Number: 85363010 Popular Downloads 2CSC400002D0209 Instructions and Manuals: 9AK106354A0766 Product Net Width: 0.035 m Product Net Width: 0.085 m Product Net Width: 0.085 m Product Net Wight: 0.085 m Product Net Wight: 0.085 m Product Net Wight: 0.239 kg Technical IEC 61009-1 IEC 61009-2-1 EN 61009-2-1 EN 61009-2-1 Type of Residual Current: A type Rated Residual Current: 30 mA Tripping Characteristiic: B		
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions:0.035 mProduct Net Width:0.035 mProduct Net Height:0.085 mProduct Net Depth:0.069 mProduct Net Weight:0.239 kgIEC 61009-1 IEC 61009-2-1 EN 61009-2.1Type of Residual Current:A typeTripping Characteristic:B	Long Description:	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAH:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit currer nris: protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against theirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).CrderingMinimum Order Quantity:1 piece 2CSC400002D0209Data Sheet, Technical Information:2CSC400002D0209Potuct Net Width:0.035 mProduct Net Height:0.085 m <th>Number of Poles:</th> <th>2</th>	Number of Poles:	2
Data Sheet, Technical Information:2CSC400002D0209Instructions and Manuals:9AKK106354A0766Dimensions0.035 mProduct Net Width:0.085 mProduct Net Height:0.085 mProduct Net Depth:0.069 mProduct Net Weight:0.239 kgTechnicalStandards:IEC 61009-1 IEC 61009-2-1 EN 61009-2-1Type of Residual Current:A typeRated Residual Current:BRated Current (In):13 A	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering Injece Minimum Order Quantity: 1 piece Customs Tariff Number: 85363010 Popular Downloads 9AKK106354A0766 Dimensions 2CSC400002D0209 Instructions and Manuals: 9AKK106354A0766 Product Net Width: 0.035 m Product Net Width: 0.085 m Product Net Width: 0.085 m Product Net Width: 0.239 kg Technical 1EC 61009-1 IEC 61009-2-1 EN 61009-2-1 EN 61009-2-1 EN 61009-2-1 EN 61009-2-1 Type of Residual Current: A type Rated Residual Current: B Rated Residual Current: B Rated Current (h_0): 13 A Number of Poles: 2	Extended Product Type: DS201 B13 A30 Product ID: 2CSR255140R1135 EAN: 8012542655503 Catalog Description: DS201 B13 A30 - RCBO Long Description: DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit curre rnts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA). Ordering Ipice Minimum Order Quantity: 1 piece Customs Tariff Number: 85363010 Popular Downloads 9AKK106354A0766 Dimensions 9AKK106354A0766 Product Net Width: 0.035 m Product Net Height: 0.035 m Product Net Width: 0.035 m Product Net Weight: 0.039 kg Technical 1EC 61009-1 IEC 61009-2-1 EN 61009-2-		
Customs Tariff Number: 85363010	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Minimum Order Quantity: Customs Tariff Number: Popular Downloads Data Sheet, Technical Information Instructions and Manuals:	85363010 n: 2CSC400002D0209
	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Minimum Order Quantity:	1 piece
Minimum Order Quantity: 1 piece	Long Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).	Ordering	
Minimum Order Quantity: 1 piece	Long Description: The DS201 series RCBO is a 1P+N in two-modules device for the protection n of end user single-phase circuits against overload and short-circuit currents; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional	Extended Product Type:DS201 B13 A30Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional	Ordering	
Ordering		General mormation	Product ID: EAN: Catalog Description:	2CSR255140R1135 8012542655503 DS201 B13 A30 - RCBO The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional
Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering		Extended Product Type: DS201 B13 A30		
EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering			Extended Product Type:	
Product ID:2CSR255140R1135EAN:8012542655503Catalog Description:DS201 B13 A30 - RCBOLong Description:The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).Ordering	Product ID: 2CSR255140R1135	Conoral Information	General Information	

Position of Neutral Terminals:	Right
Power Loss:	2.2 W
Rated Voltage (U _r):	230-240 V AC
Environmental	
Ambient Air Temperature:	Operation -25 +55 °C Storage -40 +70 °C
RoHS Status:	Following EU Directive 2011/65/EU
Certificates and Declarations (D	ocument Number)
Declaration of Conformity - CE:	9AKK106713A5588
Environmental Information:	refer to RoHS information
Instructions and Manuals:	9AKK106354A0766
RoHS Information:	2CSC422002K2701
Container Information	
Package Level 1 Units:	5 piece
Package Level 1 Width:	0.253 m
Package Level 1 Height:	0.088 m
Package Level 1 Length:	0.108 m
Package Level 1 Gross Weight:	1.446 kg
Package Level 1 EAN:	8012542655510
Classifications	
Object Classification Code:	Q
ETIM 4:	EC000905 - Earth leakage circuit breaker
ETIM 5:	EC000905 - Earth leakage circuit breaker
ETIM 6:	EC000905 - Earth leakage circuit breaker
ETIM 7:	EC000905 - Earth leakage circuit breaker

