DS201 C10 A30



Products + Low Voltage Products and Systems + Modular DIN Rail Products + Residual Current Devices RCDs + Residual Current Circuit Breakers with Overcurrent Protection RCBO

General Information	
Extended Product Type:	DS201 C10 A30
Product ID:	2CSR255140R1104
EAN:	8012542952503
Catalog Description:	DS201 C10 A30 - RCBO
Long Description:	The DS201 series RCBO is a 1P+N in two-modules device for the protectio n of end user single-phase circuits against overload and short-circuit curre nts; protection against the effects of sinusoidal alternating and direct pulsat ing earth fault currents; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 30 mA).
Ordering	
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363010
Popular Downloads	
Data Sheet, Technical Information	: 2CSC400002D0209
Instructions and Manuals:	9AKK106354A0766
Dimensions	
Product Net Width:	0.035 m
Product Net Height:	0.085 m
Product Net Depth:	0.069 m
Product Net Weight:	0.239 kg
Technical	
Standards:	IEC 61009-1
	IEC 61009-2-1
	EN 61009-1
	EN 61009-2-1
Type of Residual Current:	A type
Rated Residual Current:	30 mA
Tripping Characteristic:	C
Rated Current (I _n):	10 A
Number of Poles:	2
Number of Protected Poles:	1
Rated Short-Circuit Capacity (I _{cn}):	(230 / 400 V AC) 6 kA

Position of Neutral Terminals:	Right
Power Loss:	2.3 W
Rated Voltage (U _r):	230-240 V AC
Environmental	
Ambient Air Temperature:	Operation -25 +55 °C Storage -40 +70 °C
RoHS Status:	Following EU Directive 2011/65/EU
Certificates and Declarations (Document Number)
Declaration of Conformity - CE:	9AKK106713A5588
Environmental Information:	refer to RoHS information
Instructions and Manuals:	9AKK106354A0766
RoHS Information:	2CSC422002K2701
Container Information	
Package Level 1 Units:	5 piece
Package Level 1 Width:	0.253 m
Package Level 1 Height:	0.088 m
Package Level 1 Length:	0.108 m
Package Level 1 Gross Weight:	1.446 kg
Package Level 1 EAN:	8012542952510
Classifications	
Object Classification Code:	Q
E-nummer:	2160232
ETIM 4:	EC000905 - Earth leakage circuit breaker
ETIM 5:	EC000905 - Earth leakage circuit breaker
ETIM 6:	EC000905 - Earth leakage circuit breaker
ETIM 7:	EC000905 - Earth leakage circuit breaker

