DS202C M C20 APR30



Products - Low Voltage Products and Systems - Modular DIN Rail Products - Residual Current Devices RCDs - Residual Current Circuit Breakers with Overcurrent Protection RCBO

General Information

Extended Product Type: DS202C M C20 APR30

Product ID: 2CSR272440R1204

EAN: 8012542122050

Catalog Description: DS202C M C20 APR30 - RCBO

Long Description: The DS202C series RCBO is a 2P in two-modules device for the protection

of end user single-phase circuits against overload and short-circuit current s; provides an optimal trade-off between safety and continuity of service, th anks to the resistance to unwanted trippings; protection against indirect contacts and additional protection against direct contacts (with sensitivity = 3)

0 mA); protection and isolation of resistive and inductive loads.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85363030

Popular Downloads

Data Sheet, Technical Information: 2CSC400002D0209

Instructions and Manuals: 9AKK106354A0766

Dimensions

Product Net Width: 0.035 m

Product Net Height: 0.085 m

Product Net Depth: 0.069 m

Product Net Weight: 0.239 kg

Technical

Standards: IEC 61009-1

IEC 61009-2-1 EN 61009-1 EN 61009-2-1

Type of Residual Current: A type

Rated Residual Current: 30 mA

Tripping Characteristic: C

Rated Current (I_n): 20 A

Number of Poles: 2

Number of Protected Poles: 2

Rated Short-Circuit Capacity (Icn): (230 / 400 V AC) 10 kA

Power Loss: 6.6 W

Rated Voltage (U_r): 230-240 V AC

Environmental

Ambient Air Temperature: Operation -25 ... +55 °C

Storage -40 ... +70 °C

RoHS Status: Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 9AKK106713A5589

Environmental Information: refer to RoHS information

Instructions and Manuals: 9AKK106354A0766

RoHS Information: 2CSC422002K2701

Container Information

Package Level 1 Units: 5 piece

Package Level 1 Width: 0.253 m

Package Level 1 Height: 0.088 m

Package Level 1 Length: 0.108 m

Package Level 1 Gross Weight: 1.446 kg

Package Level 1 EAN: 8012542122067

Classifications

Object Classification Code: Q

ETIM 4: EC000905 - Earth leakage circuit breaker

ETIM 5: EC000905 - Earth leakage circuit breaker

ETIM 6: EC000905 - Earth leakage circuit breaker

ETIM 7: EC000905 - Earth leakage circuit breaker

