## F202 A S-63/0,5



Products + Low Voltage Products and Systems + Modular DIN Rail Products + Residual Current Devices RCDs + Residual Current Devices RCDs

| General Information<br>Extended Product Type:<br>Product ID:<br>EAN:<br>Catalog Description:<br>Long Description: | F202 A S-63/0,5<br>2CSF202201R4630<br>8012542784609<br>F202 A S-63/0,5 Residual Current Circuit Breaker<br>The RCCBs F200 series assures protection to people and installations aga<br>inst fault current to earth. A large offer for standard instantaneous and sele<br>ctive AC and A types is completed with some configurations for special app<br>lications. |
|---|---|
| Ordering  |   |
| Minimum Order Quantity:   | 1 piece   |
| Customs Tariff Number:  | 85363030  |
| Popular Downloads   |   |
| Data Sheet, Technical Information:  | 2CSC400002D0209   |
| Instructions and Manuals:   | 2CSF423001D6406   |
| Dimensions  |   |
| Product Net Width:  | 0.035 m   |
| Product Net Height:   | 0.085 m   |
| Product Net Depth:  | 0.069 m   |
| Product Net Weight:   | 0.200 kg  |
| Technical   |   |
| Standards:  | IEC/EN 61008<br>UL 1053   |
| Operating Characteristic:   | Selective   |
| Type of Residual Current:   | A type  |
| Rated Residual Current:   | 500 mA  |
| Rated Current (I <sub>n</sub> ):  | 63 A  |
| Number of Poles:  | 2   |
| Power Loss:   | at Rated Operating Conditions per Pole 3.2 W  |
| Rated Voltage (U <sub>r</sub> ):  | 230/400 V   |

Environmental

| Ambient Air Temperature:                        | Operation -25 +55 °C<br>Storage -40 +70 °C |
|---|--|
|   |  |
| RoHS Status:                                    | Following EU Directive 2011/65/EU          |
| Technical UL/CSA                                |  |
| Maximum Operating Voltage<br>UL/CSA:            | 277 V AC                                   |
| Certificates and Declarations (Document Number) |  |
| Declaration of Conformity - CE:                 | 9AKK106713A5602                            |
| Environmental Information:                      | S-P-00080                                  |
| Instructions and Manuals:                       | 2CSF423001D6406                            |
| Container Information                           |  |
| Package Level 1 Units:                          | 1 piece                                    |
| Package Level 1 Width:                          | 0.041 m                                    |
| Package Level 1 Height:                         | 0.078 m                                    |
| Package Level 1 Length:                         | 0.096 m                                    |
| Package Level 1 Gross Weight:                   | 0.225 kg                                   |
| Package Level 1 EAN:                            | 8012542784609                              |
| Classifications                                 |  |
| Object Classification Code:                     | Q  |
|   |  |

| ETIM 4: | EC000003 - Residual current circuit breaker (RCCB) |
|---------|--|
| ETIM 5: | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 6: | EC000003 - Residual current circuit breaker (RCCB) |
| ETIM 7: | EC000003 - Residual current circuit breaker (RCCB) |

