F202 A-40/0,03 AP-R



Products + Low Voltage Products and Systems + Modular DIN Rail Products + Residual Current Devices RCDs + Residual Current Devices RCDs

General Information

 Extended Product Type:
 F202 A-40/0,03 AP-R

 Product ID:
 2CSF202401R1400

 EAN:
 8012542785200

Catalog Description: F202 A-40/0,03 AP-R Residual Current Circuit Breaker

Long Description: The RCCBs F200 series assures protection to people and installations aga

inst fault current to earth. A large offer for standard instantaneous and sele ctive AC and A types is completed with some configurations for special app lications. This product provides the best compromise between safety and c ontinuity in the service, thanks to the resistance to unwanted trippings.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85363030

Popular Downloads

Data Sheet, Technical Information: 2CSC400002D0209

Instructions and Manuals: 2CSF423001D6406

Dimensions

Product Net Width: 0.035 m

Product Net Height: 0.085 m

Product Net Depth: 0.069 m

Product Net Weight: 0.200 kg

Technical

Standards: IEC/EN 61008

UL 1053

Operating Characteristic: Instantaneous (APR High Immunity)

Type of Residual Current: A type

Rated Residual Current: 30 mA

Rated Current (I_n) : 40 A

Number of Poles: 2

Power Loss: at Rated Operating Conditions per Pole 2.4 W

Rated Voltage (U_r): 230/400 V

Environmental

Ambient Air Temperature: Operation -25 ... +55 °C

Storage -40 ... +70 °C

RoHS Status: Following EU Directive 2011/65/EU

Technical UL/CSA

Maximum Operating Voltage

UL/CSA:

277 V AC

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 9AKK106713A5602

Environmental Information: S-P-00080

Instructions and Manuals: 2CSF423001D6406

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width: 0.041 m

Package Level 1 Height: 0.078 m

Package Level 1 Length: 0.096 m

Package Level 1 Gross Weight: 0.225 kg

Package Level 1 EAN: 8012542785200

Classifications

Object Classification Code: Q

E-nummer: 2160176

ETIM 4: EC000003 - Residual current circuit breaker (RCCB)

ETIM 5: EC000003 - Residual current circuit breaker (RCCB)

ETIM 6: EC000003 - Residual current circuit breaker (RCCB)

ETIM 7: EC000003 - Residual current circuit breaker (RCCB)

