

# F204 A-25/0,03 AP-R



Products → Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs  
→ Residual Current Devices RCDs

## General Information

<b>Extended Product Type:</b>	F204 A-25/0,03 AP-R
<b>Product ID:</b>	2CSF204401R1250
<b>EAN:</b>	8012542785408
<b>Catalog Description:</b>	F204 A-25/0,03 AP-R Residual Current Circuit Breaker
<b>Long Description:</b>	The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product provides the best compromise between safety and continuity in the service, thanks to the resistance to unwanted trippings.

## Ordering

<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85363030

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	2CSC400002D0209
<b>Instructions and Manuals:</b>	2CSF423001D6406

## Dimensions

<b>Product Net Width:</b>	0.070 m
<b>Product Net Height:</b>	0.085 m
<b>Product Net Depth:</b>	0.069 m
<b>Product Net Weight:</b>	0.360 kg

## Technical

<b>Standards:</b>	IEC/EN 61008 UL 1053
<b>Operating Characteristic:</b>	Instantaneous (APR High Immunity)
<b>Type of Residual Current:</b>	A type
<b>Rated Residual Current:</b>	30 mA
<b>Rated Current (I<sub>n</sub>):</b>	25 A
<b>Number of Poles:</b>	4
<b>Position of Neutral Terminals:</b>	Right
<b>Power Loss:</b>	at Rated Operating Conditions per Pole 1.3 W
<b>Rated Voltage (U<sub>r</sub>):</b>	230/400 V

## Environmental

**Ambient Air Temperature:** Operation -25 ... +55 °C  
Storage -40 ... +70 °C

**RoHS Status:** Following EU Directive 2011/65/EU

## Technical UL/CSA

**Maximum Operating Voltage  
UL/CSA:** 480Y / 277 V AC

## Certificates and Declarations (Document Number)

**Declaration of Conformity - CE:** 9AKK106713A5602

**Environmental Information:** S-P-00081

**Instructions and Manuals:** 2CSF423001D6406

## Container Information

**Package Level 1 Units:** 1 piece

**Package Level 1 Width:** 0.082 m

**Package Level 1 Height:** 0.078 m

**Package Level 1 Length:** 0.096 m

**Package Level 1 Gross Weight:** 0.403 kg

**Package Level 1 EAN:** 8012542785408

## Classifications

**Object Classification Code:** Q

**E-number:** 2160177

**ETIM 4:** EC000003 - Residual current circuit breaker (RCCB)

**ETIM 5:** EC000003 - Residual current circuit breaker (RCCB)

**ETIM 6:** EC000003 - Residual current circuit breaker (RCCB)

**ETIM 7:** EC000003 - Residual current circuit breaker (RCCB)



