

Products → Low Voltage Products and Systems → Control Products → Manual Motor Starters  
→ Manual Motor Starters Accessories

## General Information

|                               |  |
|-------------------------------|--|
| <b>Extended Product Type:</b> | IB132-G  |
| <b>Product ID:</b>            | 1SAM201911R1010  |
| <b>EAN:</b>                   | 4013614421617  |
| <b>Catalog Description:</b>   | IB132-G Enclosure  |
| <b>Long Description:</b>      | IB132-G enclosure is suitable for manual motor starter MS116/MS132. The combination of manual motor starter and enclosure allows to setup all required control and protection functions for single machine installations. The enclosure has a IP65 degree of protection. Additional mounting of auxiliary and signalling contacts, shunt trips and undervoltage release is possible. The handle is up to 3-times lockable in OFF position. |

## Ordering

|                                |          |
|--------------------------------|----------|
| <b>Minimum Order Quantity:</b> | 1 piece  |
| <b>Customs Tariff Number:</b>  | 39269097 |

## Popular Downloads

|   |                 |
|---|-----------------|
| <b>Data Sheet, Technical Information:</b> | 1SBC100173C0201 |
| <b>Instructions and Manuals:</b>          | 2CDC131028M6804 |
| <b>Dimension Diagram:</b>                 | 1SAM200441F0001 |

## Dimensions

|                            |         |
|----------------------------|---------|
| <b>Product Net Width:</b>  | 120 mm  |
| <b>Product Net Height:</b> | 120 mm  |
| <b>Product Net Depth:</b>  | 195 mm  |
| <b>Product Net Weight:</b> | 0.37 kg |

## Technical

|                                     |   |
|-------------------------------------|---|
| <b>Contact Position Indication:</b> | ON / OFF / TRIP   |
| <b>Actuator Type:</b>               | Rotary Handle   |
| <b>Color:</b>                       | Grey / Black  |
| <b>Degree of Protection:</b>        | IP65  |
| <b>Standards:</b>                   | IEC/EN 60947-1<br>IEC/EN 60947-4-1<br>UL 508<br>CSA 22.2 No. 14 |
| <b>Product Name:</b>                | Enclosure   |

|                                    |   |
|------------------------------------|---|
| <b>Suitable For:</b>               | MS116<br>MS132  |
| <b>Suitable for Product Class:</b> | Manual Motor Starter                                    |
| <b>Accessory Group:</b>            | Mechanical  |
| <b>Accessory Type:</b>             | Enclosure   |
| <b>Remarks:</b>                    | For detailed specification see installation instruction |

## Environmental

|                                 |  |
|---------------------------------|--|
| <b>Ambient Air Temperature:</b> | Operation 0 ... +40 °C<br>Storage -50 ... +80 °C |
| <b>RoHS Status:</b>             | Following EU Directive 2011/65/EU                |

## Technical UL/CSA

|                               |    |
|-------------------------------|----|
| <b>Enclosure Type UL/CSA:</b> | 12 |
|-------------------------------|----|

## Certificates and Declarations (Document Number)

|  |  |
|--|--|
| <b>cUL Certificate:</b>                | cUL_E137861  |
| <b>Declaration of Conformity - CE:</b> | 1SAD938517-0060<br>1SAD938502-0188<br>1SAD938504-0183<br>1SAD938510-0125 |
| <b>GOST Certificate:</b>               | 1SAA937000-2703  |
| <b>Instructions and Manuals:</b>       | 2CDC131028M6804  |
| <b>RoHS Information:</b>               | 1SAD938517-0060  |
| <b>UL Certificate:</b>                 | UL_E137861   |

## Container Information

|                                      |               |
|--------------------------------------|---------------|
| <b>Package Level 1 Width:</b>        | 129 mm        |
| <b>Package Level 1 Length:</b>       | 129 mm        |
| <b>Package Level 1 Height:</b>       | 141 mm        |
| <b>Package Level 1 Gross Weight:</b> | 0.435 kg      |
| <b>Package Level 1 EAN:</b>          | 4013614421617 |
| <b>Package Level 1 Units:</b>        | 1 piece       |

## Classifications

|                  |  |
|------------------|--|
| <b>E-nummer:</b> | 3112073  |
| <b>ETIM 4:</b>   | EC002498 - Accessories for low-voltage switch technology |
| <b>ETIM 5:</b>   | EC000712 - Empty enclosure for switchgear                |
| <b>ETIM 6:</b>   | EC000712 - Empty enclosure for switchgear                |
| <b>ETIM 7:</b>   | EC000712 - Empty enclosure for switchgear                |
| <b>eClass:</b>   | 7.0 27371301   |

UNSPSC:

39121521

