

Products → Low Voltage Products and Systems → Connection Devices → Terminal Blocks Accessories  
→ Test Adapters

## General Information

<b>Extended Product Type:</b>	TP4
<b>Product ID:</b>	1SNK900205R0000
<b>EAN:</b>	3472599097322
<b>Catalog Description:</b>	TP4 Test Adapter for test plugs DIA 4 mm .16 in - Dark Grey
<b>Long Description:</b>	- Isolated test adapter that enables individual voltage control, - Direct plug-in solution into the jumpers channels, - Compatible with standard insulated or non isolated test plugs DIA 4 mm 0.157 in, - Withstand more than 10000 operations according to ABB test standards.

## Ordering

<b>Color:</b>	Dark Grey
<b>Minimum Order Quantity:</b>	20 piece
<b>Customs Tariff Number:</b>	85369010

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	1SNK160036D0201
<b>Instructions and Manuals:</b>	1SNK160027C0201

## Dimensions

<b>Product Net Width:</b>	7.6 mm
<b>Product Net Height:</b>	7.6 mm
<b>Product Net Length:</b>	56.63 mm
<b>Product Net Depth:</b>	56.6 mm
<b>Product Net Weight:</b>	2.4 g

## Technical

<b>Spacing:</b>	7.6 mm
<b>Function:</b>	Test Adapters
<b>Rated Current (I<sub>n</sub>):</b>	Main Circuit 16 A
<b>Rated Voltage (U<sub>r</sub>):</b>	1000 V
<b>Rated Impulse Withstand Voltage (U<sub>imp</sub>):</b>	8000 V
<b>Dielectric Test Voltage:</b>	2200 V
<b>Pollution Degree:</b>	3
<b>Degree of Protection:</b>	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20

**Insulation Material:** Polyamide

---

**Suitable For:** ZDK2.5-22  
ZDK4-22  
ZDP2.5-11  
ZDP2.5-22  
ZDP2.5-D1  
ZDP2.5-D2  
ZDS4-22  
ZDS4-22-R1  
ZK10  
ZK10-3P  
ZK10-PE  
ZK10-PE-3P  
ZK16  
ZK16-3P  
ZK16-PE  
ZK16-PE-3P  
ZK2.5  
ZK2.5-3P  
ZK2.5-4P  
ZK2.5-CH-4P  
ZK2.5-D1  
ZK2.5-D1-PE  
ZK2.5-D2  
ZK2.5-D2-PE  
ZK2.5-D-CH  
ZK2.5-PE  
ZK2.5-PE-3P  
ZK2.

## Technical UL/CSA

**Maximum Operating Voltage** Main Circuit 600 V  
**UL/CSA:**

---

**Flammability According to UL94:** V0

## Environmental

**Ambient Air Temperature:** Operation -55 ... +110 °C  
Storage -55 ... +110 °C

---

**Resistance to Vibrations acc. to IEC 60068-2-6:** Compliant

---

**RoHS Status:** Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Certificates and Declarations (Document Number)

**Instructions and Manuals:** 1SNK160027C0201

---

**RoHS Information:** 1SND230505F0202

## Classifications

**Object Classification Code:** X

---

**E-nummer:** 2925156

## Container Information

**Package Level 1 Units:** 20 piece

---

**Package Level 1 Width:** 158 mm

---

**Package Level 1 Length:** 243 mm

---

**Package Level 1 Gross Weight:** 0.048 kg

---

**Package Level 1 EAN:** 3472599097322

---

**Package Level 2 Units:** 2000 piece

---

**Product Packing Type:** Bag

