

# PROCAP5



Products → Low Voltage Products and Systems → Connection Devices → Markers and Marking Systems  
→ Terminal Block Markers

## General Information

<b>Extended Product Type:</b>	PROCAP5
<b>Product ID:</b>	1SNK900609R0000
<b>EAN:</b>	3472599097414
<b>Catalog Description:</b>	PROCAP5 Protecting cap for SAT5 labels
<b>Long Description:</b>	- Easily protect your Self Adhesive sTrip SAT, - Quickly put it on the terminal blocks: PROCAP delivered in strip of 10 parts

## Ordering

<b>Color:</b>	Transparent
---------------	-------------

<b>Minimum Order Quantity:</b>	20 piece
--------------------------------	----------

<b>Customs Tariff Number:</b>	39269097
-------------------------------	----------

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	1SNK160013D0201
---	-----------------

<b>Instructions and Manuals:</b>	1SNK160027C0205
----------------------------------	-----------------

## Dimensions

<b>Product Net Width:</b>	5.2 mm
---------------------------	--------

<b>Product Net Height:</b>	12 mm
----------------------------	-------

<b>Product Net Length:</b>	2.4 mm
----------------------------	--------

<b>Product Net Depth:</b>	2.4 mm
---------------------------	--------

<b>Product Net Weight:</b>	0.7 g
----------------------------	-------

## Technical

<b>Spacing:</b>	5.2 mm
-----------------	--------

<b>Function:</b>	Protecting cap
------------------	----------------

<b>Pollution Degree:</b>	3
--------------------------	---

<b>Degree of Protection:</b>	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
------------------------------	--

<b>Insulation Material:</b>	Polycarbonate
-----------------------------	---------------

<b>Suitable For:</b>	C2.5-ZDP CDK2.5 CDK4 CDS4 CDS4-R1 ES-TC PG5
----------------------	---

SAI  
TC5  
ZDK2.5-22  
ZDS4-22  
ZK10  
ZK10-PE  
ZK16  
ZK16-PE  
ZK2.5  
ZK2.5-3P  
ZK2.5-4P  
ZK2.5-D1  
ZK2.5-D1-PE  
ZK2.5-D2  
ZK2.5-D2-PE  
ZK2.5-D-CH  
ZK2.5-PE  
ZK2.5-PE-3P  
ZK2.5-PE-4P  
ZK2.5-S  
ZK2.5-SF  
ZK2.5-SF-R  
ZK2.5-SP  
ZK2.5-S-R1  
ZK4  
ZK4-3P  
ZK4-4P  
ZK4-PE  
ZK4-PE-3P  
ZK4-PE-4P  
ZK6  
ZK6-3P  
ZK6-PE  
ZK6-PE-3P  
ZS4  
ZS4-D1  
ZS4-D2  
ZS4-D2-S  
ZS4-D2-S-T  
ZS4-D-CH  
ZS4-PE  
ZS4-S  
ZS4-SP  
ZS4-SP-T2  
ZS4-S-T  
ZS4-T3  
ZS4-T3-R1

Technical UL/CSA

Flammability According to UL94: V0

## Environmental

<b>Ambient Air Temperature:</b>	Operation -55 ... +110 °C Storage -55 ... +110 °C
<b>Resistance to Vibrations acc. to IEC 60068-2-6:</b>	Compliant
<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Certificates and Declarations (Document Number)

<b>Declaration of Conformity - CE:</b>	1SND225156C1000
<b>Environmental Information:</b>	1SND220061E1000
<b>Instructions and Manuals:</b>	1SNK160027C0205
<b>RoHS Information:</b>	1SND230504F0204

## Classifications

<b>Object Classification Code:</b>	X
<b>E-nummer:</b>	2967973
<b>ETIM 4:</b>	EC000761 - Labelling for terminal block
<b>ETIM 5:</b>	EC000761 - Labelling for terminal block
<b>ETIM 6:</b>	EC000761 - Labelling for terminal block

## Container Information

<b>Package Level 1 Units:</b>	20 piece
<b>Package Level 1 Width:</b>	158 mm
<b>Package Level 1 Length:</b>	243 mm
<b>Package Level 1 Gross Weight:</b>	0.014 kg
<b>Package Level 1 EAN:</b>	3472599097414
<b>Package Level 2 Units:</b>	10000 piece
<b>Package Level 3 Units:</b>	320000 piece
<b>Product Packing Type:</b>	Bag

