JB8-2



Products + Low Voltage Products and Systems + Connection Devices + Terminal Blocks Accessories + Jumper Bars

| General Information | |
|------------------------|---|
| Extended Product Type: | JB8-2 |
| Product ID: | 1SNK908302R0000 |
| EAN: | 3472599097674 |
| Catalog Description: | JB8-2 Jumper Bar - Orange |
| Long Description: | Facilitate & secure your jumper bar assembly process: - Screwless mounti ng, - Pre-cut poles for alternated jumpering between terminal blocks, - Insu lated, - Positive locking, - Perfectly adapted to low level electrical contact (20mA, 50mV). |

Ordering

| Color: | Orange |
|---|-------------------|
| Minimum Order Quantity: | 50 piece |
| Customs Tariff Number: | 85369010 |
| Popular Downloads | |
| Data Sheet, Technical Information: | 1SNK160030D0201 |
| Instructions and Manuals: | 1SNK160027C0201 |
| Dimensions | |
| Product Net Width: | 8 mm |
| Product Net Height: | 13.6 mm |
| Product Net Length: | 27.8 mm |
| Product Net Depth: | 27.8 mm |
| Product Net Weight: | 2.7 g |
| Technical | |
| Spacing: | 8 mm |
| Function: | Jumper Bars |
| Rated Current (I _n): | Main Circuit 57 A |
| Rated Short-time Withstand Current (I _{cw}): | for 1 s 1200 A |
| Rated Voltage (U _r): | 1000 V |
| Rated Impulse Withstand Voltage (U _{imp}): | 6000 V |
| Dielectric Test Voltage: | 2200 V |
| | |

| Pollution Decree | 2 |
|---|---|
| Pollution Degree: | 3 |
| Power Loss: | 1.8 W |
| Degree of Protection: | acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20 |
| Insulation Material: | Polyamide |
| Suitable For: | ZK6 |
| | ZK6-3P |
| | ZK6-PE ZK6-PE-3P |
| | ZS10 |
| | ZS10-PE |
| | ZS10-SF |
| | ZS10-SF-R |
| | ZS10-S-R2 |
| | ZS4-D2-SF1 |
| | ZS4-D2-SF1-R |
| echnical UL/CSA | |
| Maximum Operating Voltage UL/CSA: | Main Circuit 600 V |
| Flammability According to UL94: | V0 |
| Invironmental | |
| Ambient Air Temperature: | Operation -55 +110 °C |
| | Storage -55 +110 °C |
| Resistance to Vibrations acc. to IEC 60068-2-6: | Compliant |
| RoHS Status: | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
| Certificates and Declarations (I | Document Number) |
| ATEX Certificate: | 1SND162004A1708 |
| CB Certificate: | 1SND161018A0202 |
| Instructions and Manuals: | 1SNK160027C0201 |
| RoHS Information: | 1SND230499F0202 |
| Classifications | |
| Object Classification Code: | X |
| E-nummer: | 2925378 |
| ETIM 4: | EC000489 - Cross-connector for terminal block |
| ETIM 5: | EC000489 - Cross-connector for terminal block |
| ETIM 6: | EC000489 - Cross-connector for terminal block |
| | |

Container Information

Package Level 1 Units:

| Package Level 1 Width: | 50 mm |
|-------------------------------|---------------|
| Package Level 1 Length: | 117 mm |
| Package Level 1 Height: | 50 mm |
| Package Level 1 Gross Weight: | 0.135 kg |
| Package Level 1 EAN: | 3472599097674 |
| Package Level 2 Units: | 1500 piece |
| Package Level 3 Units: | 9000 piece |

