

PRODUCT-DETAILS

KA2-2035

KA2-2035 LED bulb



General Information	
Extended Product Type	KA2-2035
Product ID	1SFA616921R2035
EAN	7320500359754
Catalog Description	KA2-2035 LED bulb
Long Description	LED bulb - White - Rated Voltage 36 V, (AC)/DC - Rated Current 12 mA - Service Life >50 000 h

Ordering EAN 7320500359754 Minimum Order Quantity 20 piece Customs Tariff Number 8539500000

Dimensions	
Product Net Width	0.01 m
Product Net Height	0.01 m
Product Net Depth / Length	0.025 m
Product Net Weight	0.005 kg

Container Information

Package Level 1 Width	0.06 m
Package Level 1 Height	0.01 m
Package Level 1 Depth / Length	0.025 m
Package Level 1 Gross Weight	0.005 kg

Environmental

RoHS Status Following EU Directive 2015/863 July 22, 2019 (RoHS 3)

Additional Information

Accessory Type	LED and filament bulbs
Color	White
Illumination	Illuminated
Lamp Type	LED Ba9s
Luminance	1400 millicandela
Product Main Type	KA2
Product Name	LED bulb
Product Range	Compact and Modular range
Product Type	KA
Rated Current (I _n)	12 mA
Rated Operational Voltage	36 V AC/DC
RoHS Date	0609 3
Service Life	>50000 HUR
Suitable For	CL

Certificates and Declarations (Document Number)

Data Sheet, Technical	1SFC151007C02
Information	
Declaration of	2CMT2015-005456
Conformity - CE	
Environmental	1SFC151005D0201
Information	
Instructions and	1SFC151011M0201
Manuals	
RoHS Information	2CMT2015-005456

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
ETIM 6	EC001019 - Single LED
ETIM 7	EC000399 - Indication- and signalling lamp
Object Classification Code	Ē
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

KA2-2035

Categories

 $\textbf{Low Voltage Products and Systems} \rightarrow \textbf{Control Products} \rightarrow \textbf{Pilot Devices} \rightarrow \textbf{Accessories}$

