

PRODUCT-DETAILS

# E 9F8 GG20

## E 9F8 GG20 Fuse link



### General Information

Extended Product Type	E 9F8 GG20
Product ID	2CSM277503R1801
EAN	8012542775034
Catalog Description	E 9F8 GG20 Fuse link
Long Description	E 9F8 GG20 is a 8,5x31,5 mm cylindrical fuse for circuits protection

### Ordering

EAN	8012542775034
Minimum Order Quantity	10 piece
Customs Tariff Number	85361010

### Dimensions

Product Net Width	0.008 m
Product Net Height	0.031 m
Product Net Depth / Length	0.009 m
Product Net Weight	0.004 kg

### Container Information

Package Level 1 Units	10 piece
-----------------------	----------

Package Level 1 Width	0.043 m
Package Level 1 Height	0.018 m
Package Level 1 Depth / Length	0.032 m
Package Level 1 Gross Weight	0.045 kg
Package Level 1 EAN	8012542775034

## Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

## Additional Information

Dimensions	8,5x31,5 mm
Fuse Size	Cylindr. IEC 8,5x31,5
Fuse Type	Cylindrical gG
Maximum Breaking Capacity	20 kA
Power Loss	at Rated Operating Conditions per Pole 2 W
Product Main Type	E 9F
Product Name	Fuse link
Rated Current (I <sub>n</sub> )	20 A
Rated Voltage (U <sub>r</sub> )	400...400 V
Rated Operational Voltage	400 V AC
Release Type	Other
RoHS Date	27/01/2014
Voltage Range	400 V AC

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CSC444002B0204
Declaration of Conformity - CE	2CSC444004D2701
Environmental Information	See RoHS Information
Instructions and Manuals	Not applicable
RoHS Information	2CSC444012K2701

## Classifications

ETIM 4	EC002704 - Cylindrical fuse
ETIM 5	EC002704 - Cylindrical fuse
ETIM 6	EC002704 - Cylindrical fuse
ETIM 7	EC002704 - Cylindrical fuse
Object Classification Code	F
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety devices → Cylindrical and DO Fuses

