M3SSV3-30B



Products + Low Voltage Products and Systems + Control Products + Pilot Devices + Pilot Devices - Modular Range

General Information

Extended Product Type: M3SSV3-30B

Product ID: 1SFA611232R3006 **EAN**: 7320500303405

Catalog Description: M3SSV3-30B Selector Switch

Long Description: Modular Selector Switch - 3-Pos Maintained/Momentary, A and B fixed, spr

ing return from C to B - Short handle - Black - Non-illuminated - Chrome m

etal - No contact block

Ordering

EAN: 7320500303405

Minimum Order Quantity: 10 piece

Customs Tariff Number: 85369001

Dimensions

Product Net Width: 0.048 m

Product Net Height: 0.030 m

Product Net Depth: 0.050 m

Product Net Weight: 0.027 kg

Container Information

Package Level 1 Units: 1 piece

Package Level 1 Width: 0.11 m

Package Level 1 Height: 0.03 m

Package Level 1 Length: 0.15 m

Package Level 1 Gross Weight: 0.027 kg

Package Level 1 EAN: 7320500303405

Environmental

RoHS Status: Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information

Actuator Type: Short handle

Bezel Material: Chrome metal

Block: No contact block

Color: Black

Front IP66 **Degree of Protection:** Terminals IP20 **Function:** Maintained/Momentary Illumination: Non-illuminated **Maintained Positions:** A, B **Mechanical Durability:** 0.5 million **Mounting Position:** Vertically mounted **Product Main Type:** M3SSV3 **Product Name:** Selector Switch **Product Range:** Modular M3SSV **Product Type:** 0635 4 **RoHS Date:** C to B **Spring Return From:**

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SFC151003C0201

3-position

Declaration of Conformity - CE: 1SFA1-83

Environmental Information: 1SFC151010D0201

Instructions and Manuals: 1SFC151003C0201

RoHS Information: 1SFC151011D0203

Classifications

Sub-Function:

E-nummer:	3717244
ETIM 4:	EC002024 - Accessories for control circuit devices
ETIM 5:	EC000222 - Front element for selector switch
ETIM 6:	EC000222 - Front element for selector switch
Object Classification Code:	S
UNSPSC:	39121500

