

OVR T1+2 25-255 C



Products → Low Voltage Products and Systems → Modular DIN Rail Products → Surge Protective Devices SPDs
→ Surge Protective Devices SPDs Accessories

General Information

Extended Product Type:	OVR T1+2 25-255 C
Product ID:	2CTB815101R3700
EAN:	3660308513441
Catalog Description:	OVR T1+2 25-255 C Surge Protective Device
Long Description:	B751344

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85363090

Popular Downloads

Data Sheet, Technical Information:	-
Instructions and Manuals:	-

Dimensions

Product Net Width:	17.6 mm
Product Net Depth:	55.6 mm
Product Net Height:	45 mm
Product Net Weight:	40 g
Width in Number of Modular Spacings:	1

Technical

Type of Low Voltage Distribution System:	TT TN-C TN-S
Nominal AC Voltage of the System (U_o):	230 / 400 V
Number of Protected Poles:	1
Arrester Class:	I II
Product Main Type:	T1-T2
Standards:	IEC 61 643-11 / EN 50539-11
Version:	Plug-in

Discharge Current:	Nominal 25 kA Maximum 60 kA
Impulse Current:	I (imp, 10 / 350 μ s) 25 kA I (total, 10 / 350 μ s) - kA
Maximum Continuous Operating Voltage (U_c):	(L-PE) 255 V (L-L) 255 V (L-N) 255 V (N-PE) - V
Short Circuit Withstand I_{cc}:	50 kA
Temporary Overvoltage Test Value (U_T):	337 V
Product Name:	Surge Protective Device
Suitable For:	To protect the systems against the transient overvoltage (lightning)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	2CTC436004G1701
Instructions and Manuals:	-

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	117 mm
Package Level 1 Length:	25 mm
Package Level 1 Height:	82 mm
Package Level 1 Gross Weight:	60 g
Package Level 1 EAN:	3660308513441

Classifications

Object Classification Code:	141BCC
ETIM 4:	EC001457 - Combined arrester for power supply systems
ETIM 5:	EC001457 - Combined arrester for power supply systems
ETIM 6:	EC001457 - Combined arrester for power supply systems
ETIM 7:	EC001457 - Combined arrester for power supply systems

