

SD203/63



Products → Low Voltage Products and Systems → Modular DIN Rail Products
→ Modular DIN Rail Components MDRCs → Command Devices

General Information

Extended Product Type:	SD203/63
Product ID:	2CDD283101R0063
EAN:	4016779904230
Catalog Description:	SD203/63 Switch Disconnecter 3P, 63A
Long Description:	SD203/63 Switch Disconnecter 3P, 63A

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85369095

Popular Downloads

Data Sheet, Technical Information:	2CDC441015D0201
Instructions and Manuals:	2CDC441015D0201

Dimensions

Product Net Width:	52.5 mm
Product Net Height:	88 mm
Product Net Depth:	69 mm
Product Net Weight:	0.255 kg

Technical

Standards:	IEC/EN 60947-3
Rated Operational Voltage:	440 V AC

Environmental

Ambient Air Temperature:	Operation -25 ... +55 °C Storage -40 ... +70 °C
Resistance to Vibrations acc. to IEC 60068-2-6:	5g, 20 cycles at 5 ... 150 ... 5 Hz with load 0.8 In
Resistance to Shock acc. to IEC 60068-2-27:	25g / 2 shocks / 13 ms
RoHS Status:	Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)

Declaration of Conformity - CE:	2CDK440034D2703
Environmental Information:	2CDK400618D0201

Instructions and Manuals:	2CDC441015D0201
----------------------------------	-----------------

RoHS Information:	2CDK440036D0202
--------------------------	-----------------

Container Information

Package Level 1 Units:	1 piece
-------------------------------	---------

Package Level 1 Width:	92 mm
-------------------------------	-------

Package Level 1 Height:	80 mm
--------------------------------	-------

Package Level 1 Length:	58 mm
--------------------------------	-------

Package Level 1 Gross Weight:	0.27 kg
--------------------------------------	---------

Package Level 1 EAN:	4016779904711
-----------------------------	---------------

Package Level 2 Units:	36 piece
-------------------------------	----------

Package Level 2 Width:	275 mm
-------------------------------	--------

Package Level 2 Height:	210 mm
--------------------------------	--------

Package Level 2 Length:	395 mm
--------------------------------	--------

Package Level 2 Gross Weight:	10.12 kg
--------------------------------------	----------

Package Level 2 EAN:	4016779905190
-----------------------------	---------------

Classifications

Object Classification Code:	Q
------------------------------------	---

ETIM 4:	EC001545 - Main switch for distribution board
----------------	---

ETIM 5:	EC001545 - Main switch for distribution board
----------------	---

ETIM 6:	EC001545 - Main switch for distribution board
----------------	---

ETIM 7:	EC001545 - Main switch for distribution board
----------------	---

eClass:	7.0 27142301
----------------	--------------

Accessories

Identifier	Description	Type	Qty	Unit Of Measure
2CCA880100R0001	CMS-100PS Sensor	CMS-100PS	1	piece
2CCA880101R0001	CMS-101PS Sensor	CMS-101PS	1	piece
2CCA880102R0001	CMS-102PS Sensor	CMS-102PS	1	piece
2CDS200909R0001	S2C-A1 - Shunt Trip	S2C-A1	1	piece
2CDS200909R0002	S2C-A2 - Shunt Trip	S2C-A2	1	piece
2CDS200912R0001	S2C-H6R - Auxiliary Contact	S2C-H6R	1	piece
2CDS200918R0001	S2C-NT - Hand Operated Neutral	S2C-NT	1	piece
2CDS200922R0001	S2C-S/H6R - Signal / Auxiliary Contact	S2C-S/H6R	1	piece

Identifier	Description	Type	Qty	Unit Of Measure
2CDS200936R0001	S2C-H11L - Auxiliary Contact	S2C-H11L	1	piece
2CDS200936R0002	S2C-H20L - Auxiliary Contact	S2C-H20L	1	piece
2CDS200936R0003	S2C-H02L - Auxiliary Contact	S2C-H02L	1	piece
2CDS200946R0001	S2C-H6-11R - Auxiliary Contact	S2C-H6-11R	1	piece
2CDS200946R0002	S2C-H6-20R - Auxiliary Contact	S2C-H6-20R	1	piece
2CDS200946R0003	S2C-H6-02R - Auxiliary Contact	S2C-H6-02R	1	piece
2CDS200970R0001	S2C-H01 - Auxiliary Contact	S2C-H01	1	piece
2CDS200970R0002	S2C-H10 - Auxiliary Contact	S2C-H10	1	piece
2CSS200911R0001	S2C-UA 12 DC - Undervoltage release	S2C-UA 12 DC	1	piece
2CSS200911R0002	S2C-UA 24 AC - Undervoltage release	S2C-UA 24 AC	1	piece
2CSS200911R0003	S2C-UA 48 AC - Undervoltage release	S2C-UA 48 AC	1	piece
2CSS200911R0004	S2C-UA 110 AC - Undervoltage release	S2C-UA 110 AC	1	piece
2CSS200911R0005	S2C-UA 230 AC - Undervoltage release	S2C-UA 230 AC	1	piece
2CSS200911R0006	S2C-UA 400 AC - Undervoltage release	S2C-UA 400 AC	1	piece
2CSS200911R0007	S2C-UA 24 DC - Undervoltage release	S2C-UA 24 DC	1	piece
2CSS200911R0008	S2C-UA 48 DC - Undervoltage release	S2C-UA 48 DC	1	piece
2CSS200911R0009	S2C-UA 110 DC - Undervoltage release	S2C-UA 110 DC	1	piece
2CSS200911R0010	S2C-UA 230 DC - Undervoltage release	S2C-UA 230 DC	1	piece
2CSS200998R0001	S2C-BP - Mechanical tripping device	S2C-BP	1	piece
2CSS200999R0001	S2C-EST - Plug-in base	S2C-EST	1	piece
2CSS201997R0013	S2C-CM1 - Motor operating device	S2C-CM1	1	piece
2CSS203997R0013	S2C-CM2/3 - Motor operating device	S2C-CM2/3	1	piece
2CSS204997R0013	S2C-CM4 - Motor operating device	S2C-CM4	1	piece
GHS2001901R0003	S2C-DH - Mechanical Accessories	S2C-DH	1	piece

