

OTU32BA3MS2



Products → Low Voltage Products and Systems → Enclosed Switches → Enclosed Switch-Disconnectors

General Information

Extended Product Type:	OTU32BA3MS2
Product ID:	1SCA132669R1001
EAN:	6417019617732
Catalog Description:	OTU32BA3MS2 Enclosed Switch Disconnecter
Long Description:	Enclosed Switch Disconnecter, 3-p. 400V AC22 32A, Plastic enclosure, RedYellow Round handle.

Ordering

Minimum Order Quantity:	4 piece
Customs Tariff Number:	85365080

Popular Downloads

Data Sheet, Technical Information:	1SCC342003B0201
Instructions and Manuals:	1SCC340156M0205

Dimensions

Product Net Width:	100 mm
Product Net Height:	161 mm
Product Net Depth:	115 mm
Product Net Weight:	0.42 kg

Technical

Rated Operational Current AC-22A (I_e):	(380 ... 415 V) 32 A (690 V) 32 A
Rated Operational Current AC-23A (I_e):	(380 ... 415 V) 23 A (690 V) 12 A
Conventional Thermal Current (I_{the}):	Fully Enclosed 40 A
Rated Insulation Voltage (U_i):	acc. to IEC/EN 60664-1 750 V
Rated Operational Voltage:	Main Circuit 750 V
Rated Short-Circuit Making Capacity (I_{cm}):	(690 V) 0.705 kA
Rated Short-time Withstand Current (I_{cw}):	for 1 s 0.5 kA
Power Loss:	at Rated Operating Conditions per Pole 1.6 W
Pollution Degree:	3

Handle Color:	Red / Yellow
Handle Type:	Round handle
Standards:	IEC60947-3
Number of Poles:	3
Cable Cross-Section:	27 mm ²
Cable Entry Position:	Up/Down
Cable Outlets Per Side:	2xø25.5 / 2xø25.5
Degree of Protection:	acc. to IEC 60529 IP65
Enclosure Material:	Plastic
Maximum Mounted Auxiliary Contacts:	2 NO, 2 NC
Tightening Torque:	0.8 N·m

Environmental

RoHS Status: Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)

BV Certificate:	1SCC340018D0204
Declaration of Conformity - CE:	1SCC340003D2704
DNV Certificate:	1SCC340045D0203
DNV GL Certificate:	1SCC340045D0203
Instructions and Manuals:	1SCC340156M0205

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	125 mm
Package Level 1 Length:	215 mm
Package Level 1 Height:	340 mm
Package Level 1 Gross Weight:	0.42 kg
Package Level 1 EAN:	6417019617732

Classifications

Object Classification Code:	Q
ETIM 5:	EC000216 - Switch disconnecter
ETIM 6:	EC000216 - Switch disconnecter
ETIM 7:	EC000216 - Switch disconnecter

