# OTU63BA4MS3



Products + Low Voltage Products and Systems + Enclosed Switches + Enclosed Switch-Disconnectors

General Information

Extended Product Type: OTU63BA4MS3
Product ID: 1SCA132692R1001

**EAN:** 6417019617978

Catalog Description: OTU63BA4MS3 Enclosed Switch Disconnector

Long Description: Enclosed Switch Disconnector, 4-p. 400V AC22 63A, Plastic enclosure, Re

dYellow Round handle.

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical Information: 1SCC342003B0201

Instructions and Manuals: 1SCC340156M0205

**Dimensions** 

Product Net Width: 146 mm

Product Net Height: 200 mm

Product Net Depth: 139 mm

Product Net Weight: 0.81 kg

**Technical** 

Rated Operational Current AC-22A (380 ... 415 V) 63 A

(I<sub>e</sub>): (690 V) 63 A

Rated Operational Current AC-23A (380 ... 415 V) 63 A

 $(I_e)$ : (690 V) 20 A

Conventional Thermal Current Fully Enclosed 80 A

(I<sub>the</sub>):

Rated Insulation Voltage (Ui): acc. to IEC/EN 60664-1 750 V

Rated Operational Voltage: Main Circuit 750 V

Rated Short-Circuit Making (690 V) 2.1 kA

Capacity (I<sub>cm</sub>):

Rated Short-time Withstand for 1 s 1.5 kA

Current (Icw):

Power Loss: at Rated Operating Conditions per Pole 4.5 W

Pollution Degree: 3

Handle Color:	Red / Yellow
Handle Type:	Round handle
Standards:	IEC60947-3
Number of Poles:	4
Cable Cross-Section:	42 mm²
Cable Entry Position:	Up/Down
Cable Outlets Per Side:	2xø40.5 / 2xø40.5
Degree of Protection:	acc. to IEC 60529 IP65
Enclosure Material:	Plastic
Maximum Mounted Auxiliary	1 NO, 2 NC
Contacts:	
Tightening Torque:	2 N·m

### Environmental

RoHS Status: Following EU Directive 2011/65/EU

## Certificates and Declarations (Document Number)

BV Certificate:	1SCC340018D0204
Declaration of Conformity - CE:	1SCC340003D2704
DNV Certificate:	1SCC340045D0203
DNV GL Certificate:	1SCC340045D0203
Instructions and Manuals:	1SCC340156M0205

#### **Container Information**

Package Level 1 Units:	1 piece
Package Level 1 Width:	150 mm
Package Level 1 Length:	215 mm
Package Level 1 Height:	315 mm
Package Level 1 Gross Weight:	0.81 kg
Package Level 1 EAN:	6417019617978

### Classifications

Object Classification Code:	Q
ETIM 5:	EC000216 - Switch disconnector
ETIM 6:	EC000216 - Switch disconnector
ETIM 7:	EC000216 - Switch disconnector

