

S2C-S6RU



Products → Low Voltage Products and Systems → Modular DIN Rail Products
→ Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

General Information

Extended Product Type:	S2C-S6RU
Product ID:	2CDS200924R0001
EAN:	4016779615624
Catalog Description:	S2C-S6RU - Signal / Auxiliary Contact
Long Description:	Signalling of a fault (overcurrent/short-circuit for MCBs). Accessories for S 200 U and S 200 UP acc. UL 489 and CSA 22.2 No. 5.

Ordering

EAN:	4016779615624
Minimum Order Quantity:	1 piece
Customs Tariff Number:	85365080

Dimensions

Product Net Width:	8.8 mm
Product Net Height:	100 mm
Product Net Depth:	69 mm
Product Net Weight:	0.035 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 Width:	20 mm
Package Level 1 Height:	115 mm
Package Level 1 Length:	104 mm
Package Level 1 Gross Weight:	0.06 kg
Package Level 1 EAN:	4016779615624
Package Level 2 Units:	50 piece
Package Level 2 Width:	820 mm
Package Level 2 Height:	560 mm
Package Level 2 Length:	1200 mm
Package Level 2 Gross Weight:	7 kg
Package Level 2 EAN:	4016779946070

Environmental

RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
---------------------	---

Additional Information

Accessory Type:	Signal Contact
Function:	Signal Contact
Power Loss:	0,5 W
Product Main Type:	S2C
Product Name:	Signal / Auxiliary Contact
RoHS Date:	0335
Standards:	UL 489 CSA 22.2 No. 5 IEC/EN 60947-5-1
Suitable For:	S200U S200UP
Suitable for Product Class:	Miniature Circuit Breaker

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	2CSC000001D0201
Declaration of Conformity - CE:	2CDK400629D2701
Instructions and Manuals:	GHS2007003P0005
RoHS Information:	2CDK440033D0202

Classifications

eClass:	7.0 27143502
ETIM 4:	EC001286 - Auxiliary contact unit for distribution board
ETIM 5:	EC001286 - Auxiliary contact unit for distribution board
ETIM 6:	EC001286 - Auxiliary contact unit for distribution board
UNSPSC:	39121614



