# **GV1G09**

TeSys GV, top feed terminal block, for busbars, 3 P, for TeSys D and TeSys U





#### Main

Range	Linergy
Product name	FT
Device short name	GV1G
Product or Component Type	Terminal block
Accessory / separate part category	Connection accessory
Poles description	3P
Range compatibility	TeSys GV2 TeSys Deca TeSys U TeSys LS1

#### Complementary

[le] rated operational current	63 A
Mounting Location	Тор
IP degree of protection	IP20 conforming to IEC 60529
[Ui] rated insulation voltage	690 V IEC 60947-1
Connections - terminals	Screw clamp terminals 1 solid AWG 4 Screw clamp terminals 1 0.000.02 in² (1.516 mm²) flexible with cable end Screw clamp terminals 1 0.000.02 in² (1.516 mm²) flexible without cable end Screw clamp terminals 1 0.000.04 in² (1.525 mm²) solid Screw clamp terminals 2 0.000.01 in² (1.54 mm²) flexible with cable end Screw clamp terminals 2 0.000.01 in² (1.56 mm²) solid Screw clamp terminals 2 0.000.01 in² (1.54 mm²) flexible without cable end Screw clamp terminals 1 flexible AWG 4
Tightening torque	15.05 Lbf.In (1.7 N.m) screw clamp terminals 19.47 lbf.in (2.2 N.m) connector
Net Weight	0.09 lb(US) (0.04 kg)

#### **Environment**

Product Certifications	CE	
	LIKCΑ	
	SINOT	

#### Ordering and shipping details

Category	22366-MAN STR PROTECTORS-GV1/GV3
Discount Schedule	l11
GTIN	3389110212570
Returnability	Yes
Country of origin	RO

### **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	1.57 in (4 cm)	
Package 1 Width	1.97 in (5 cm)	
Package 1 Length	2.17 in (5.5 cm)	
Package 1 Weight	1.69 oz (48 g)	
Unit Type of Package 2	S02	

Number of Units in Package 2	70
Package 2 Height	5.91 in (15 cm)
Package 2 Width	11.81 in (30 cm)
Package 2 Length	15.75 in (40 cm)
Package 2 Weight	8.11 lb(US) (3.678 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	1120
Package 3 Height	30.31 in (77 cm)
Package 3 Width	31.50 in (80 cm)
Package 3 Length	23.62 in (60 cm)
Package 3 Weight	150.31 lb(US) (68.18 kg)

# Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	☑ China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	☑ End Of Life Information

# Contractual warranty

Warranty	18 months

# Sets of Busbars GV2G ••• with Terminal Block GV1G09

