

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product	Buzzer and Illuminated Buzzer (Control circuit devices and switching elements)
Name and address of the applicant	Schneider Electric Industries SAS 35 rue Joseph Monier Rueil Malmaison, 92500 France
Name and address of the manufacturer	Schneider Electric Industries SAS Boulevard Salvador Allende, BP 660, 16340 L'isle D'espagnac, France
Name and address of the factory	PT. Schneider Electric Manufacturing Batam Batam Industrial Park, Blk 1, 4 & 208, Mukakuning, Batam Indonesia
<i>Note: When more than one factory, please report on page 2</i>	<input type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	See Page 2
Trademark (if any)	Schneider Electric
Type of Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	XB5KS See Page 2
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60947-1(ed.5), IEC 60947-1(ed.5);am1, IEC 60947-1(ed.5);am2, IEC 60947-5-1(ed.4)
As shown in the Test Report Ref. No. which forms part of this Certificate	4788189445B issued on 2018-04-25

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-05-16

Original Issue Date: 2018-02-27

Signature:

Jan Erik Storgaard
Jan-Erik Storgaard

Model Details:

XB5KS may be followed by 2, followed by B, G or M, may be followed by 4 or 8.

Ratings:

Electrical : PD3 OVC III AC/DC 50/60Hz

Type	Ue/Ui =	Ie / Ith =
Non illuminated	24 V ac/dc	Max 28mA
Non illuminated	110-120 V ac/dc	Max 20mA
Non illuminated	230-240 V ac	Max 18mA
Illuminated	24 V ac/dc	Max 58mA
Illuminated	110-120 V ac/dc	Max 20mA
Illuminated	230-240 V ac	Max 35mA

Mounting nut, torque 2.2 Nm

Field wiring : 22 – 16 AWG str.

IP : IP66, IP67

Additional Information:

Additionally evaluated to EN 60947-1:2007/A1:2011 and EN 60947-5-1:2017.

National Differences specified in the CB Test Report.

The original report was modified to include the following changes/additions:

-Addition to compliance with the second amendment AMD2:2014 of IEC 60947-1 since Standard changed from IEC60947-1:2007/AMD1:2010 to IEC60947-1:2007 / AMD1:2010 / AMD2:2014

-Addition of product description category "(Control circuit devices and switching elements)" under Test item description [e. g. Buzzer illuminated and non-illuminated (Control circuit devices and switching elements)]

-Modification to "Not applicable clause" under "Manufacturer's Declaration per sub-clause 4.2.5 of IEC 02" since only one factory is declared

- Addition of supplemental Enclosure 11 EMC report written according to standard CISPR 11 (Fifth Edition): 2009 + A1:2010

Additional information (if necessary)

- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbnames

Date: 2018-05-16

Original Issue Date: 2018-02-27

Signature:

Jan-Erik Storgaard