Product End-of-Life Instructions

Harmony[™] 9001K Joystick Operator

Product Range Harmony™ 9001K Joystick Operator

Marketing Model

9001K3•, 9001K3•H•, 9001K7•, 9001K7•H•, 9001AEQ3265G131 and 9001AEQ3265G141



Size in mm: H x L x D: 152 x 50 x 50

Weight (excluding packaging) in g: Between 242 and 244






Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy:

$\textbf{Reuse} \Rightarrow \textbf{Separation for special treament} \Rightarrow \textbf{Other dismantling} \Rightarrow \textbf{Shredding}$

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components	Weight (g)	Comment
Operating hazards : Preloaded spring	3	Spring	1.1	Part ejections
	4	Spring	4.8	Part ejections
Special treatment : De-pollution	1	Plastic part > PBT + FR <	13.8	1 part
	2	Plastic part > PBT + FR <	14.3	1 part

Schneider Electric Industries SAS 35, rue Joseph Monier CS30323 F - 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 896 313 776 € www.schneider-electric.com The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric version V1.

Publication : Schneider Electric