

QQJQ2.E469782 - Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component

Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component

See General Information for Power Supplies for Use with Audio/Video, Information and Communication Technology Equipment - Component

SCHNEIDER ELECTRIC AUTOMATION GMBH

E469782

SCHNEIDERPLATZ 1
97828 MARKTHEIDENFELD, GERMANY

Switching power supply

| Model No. | Rated Input | | SC | Rated Output | | OC | SP | EP | FC | GC |
|-------------------|-------------------|---------|----|--------------|-------|---------------|---------|-----|------|----|
| | V | Hz | | V | A | | | | | |
| ABLS1A24021XX [a] | 100-240Vac, 1.2A | 50-60Hz | 0 | 24Vdc | 2.1A | 1, 24, 28, 30 | 62368-1 | 20B | 0 | 0 |
| ABLS1A24038XX [a] | 100-240Vac, 1.2A | 50-60Hz | 0 | 24Vdc | 3.8A | 1, 24, 28, 30 | 62368-1 | 20B | 0 | 0 |
| ABLM1A12010XX [a] | 100-240V ac; 0.4A | 50-60Hz | 1 | 12V | 1A | 1,24,28 | 62368-1 | 20B | 0 | 1 |
| ABLM1A24006XX [a] | 100-240V ac; 0.4A | 50-60Hz | 1 | 24V | 0.63A | 1,24,28 | 62368-1 | 20B | 0 | 1 |
| ABLM1A05036XX [a] | 100-240V ac; 0.6A | 50-60Hz | 1 | 5Vdc | 3.6A | 1,24,28 | 62368-1 | 20B | 0 | 2 |
| ABLM1A12021XX [a] | 100-240V ac; 0.8A | 50-60Hz | 1 | 12Vdc | 2.1A | 1,24,28 | 62368-1 | 20B | 0 | 2 |
| ABLM1A24012XX [a] | 100-240V ac; 0.8A | 50-60Hz | 1 | 24Vdc | 1.25A | 1,24,28 | 62368-1 | 20B | 0 | 2 |
| ABLM1A24004XX [a] | 100-240V ac; 0.3A | 50-60Hz | 1 | 24V | 0.42A | 1,24,28 | 62368-1 | 20B | 0 | 1 |
| ABLM1A12042XX [a] | 100-240V ac, 1.5A | 50-60Hz | 1 | 12V | 4.17A | 1,24,28 | 62368-1 | 20B | 0 | 1 |
| ABLM1A24025XX [a] | 100-240V ac, 1.5A | 50-60Hz | 1 | 24V | 2.5A | 1,24,28 | 62368-1 | 20B | 0 | 1 |
| ABLS1A24050XX [a] | 100-240 | 50-60 | 0 | 24 | 5 | 24, 29 | 62368-1 | 20B | 2, 6 | 1 |

| | | | | | | | | | | |
|-------------------|------------------|-------|---|----|------------|----------|---------|-----|------|---|
| | 240-340Vdc | -- | | | | | | | | |
| ABLS1A48025XX [a] | 100-240 | 50-60 | 0 | 48 | 2.5 | 24, 29 | 62368-1 | 20B | 2, 6 | 1 |
| | 240-340Vdc | -- | | | | | | | | |
| ABLS1A12062XX [a] | 100-240 | 50-60 | 0 | 12 | 6.25 | 24, 29 | 62368-1 | 20B | 2, 6 | 1 |
| | 240-340Vdc | — | | | | | | | | |
| ABLS1A24031XX [a] | 100-240 | 50-60 | 0 | 24 | 3.13 | 1,24, 29 | 62368-1 | 20B | 2, 6 | 1 |
| | 140-340Vdc | — | | | | | | | | |
| ABLS1A12100XX [a] | 100-240 | 50/60 | 0 | 12 | 10 | 24, 29 | 62368-1 | 20B | 2, 6 | 1 |
| | 240-340Vdc | | | | | | | | | |
| ABLP1A24062XX [a] | 100-120; 200-240 | 50-60 | 0 | 24 | 6.25 | 24, 29 | 62368-1 | 20B | 0 | 0 |
| ABLS1A24100XX [a] | 100-240 | 50-60 | 0 | 24 | 10 | 24, 29 | 62368-1 | 20B | 2, 6 | 1 |
| | 140-340Vdc | -- | | | | | | | | |
| ABLP1A24100XX [a] | 100-240 | 50-60 | 0 | 24 | 10 | 3 | 62368-1 | 20B | 2, 6 | 1 |
| ABLS1A24200XX [a] | 100-240 | 50-60 | 0 | 24 | 20 | 24, 29 | 62368-1 | 20B | 2, 6 | 1 |
| | 140-340Vdc | -- | | | | | | | | |
| ABLP1A12085XX [a] | 100-240 | 50-60 | 0 | 12 | 7.6 or 8.5 | 24, 29 | 62368-1 | 20B | 0 | 0 |
| ABLP1A24045XX [a] | 100-240 | 50-60 | 0 | 24 | 4.0 or 4.5 | 24, 29 | 62368-1 | 20B | 0 | 0 |

[a] - Where XX can be 00-99 or blank, it will have no impact to product construction, function or safety aspect.

Marking: Company name, model designation and the Recognized Component Mark  on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2020-09-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"