

# Product data sheet

## Characteristics

# 9422A3

Operating mechanism, flange mounted, variable depth, handle mechanism, 4in handle, NEMA 1, 3R, 4, 12 enclosure



### Main

Product	Handle Mechanism
For Use With	All circuit breaker mechanisms Disconnect switches (30...200 A)

### Complementary

Product Type	Variable depth
Product destination	All circuit breaker mechanisms Disconnect switches (30...200 A)
Enclosure Types	NEMA 1/3/3R/4/12 enclosures
Handle Length	4 in (101.60 mm)

### Ordering and shipping details

Category	21732-9422
Discount Schedule	CP1
GTIN	785901810339
Returnability	No
Country of origin	MX


### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.80 in (4.572 cm)
Package 1 Width	3.80 in (9.652 cm)
Package 1 Length	9.50 in (24.13 cm)
Package 1 Weight	2.66 lb(US) (1.207 kg)

### Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
RECh Regulation	<a href="#">RECh Declaration</a>
RECh free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>

---

RoHS exemption information	 Yes
PVC free	Yes

---

### Contractual warranty

---

Warranty	18 months
----------	-----------

---

Approximate Dimensions

