



Ref. Certif. No.

CN48439-M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	AC contactor
Name and address of the applicant	Schneider Shanghai Industrial Control Co., Ltd. No.629 Suid Road, Putuo District, Shanghai, P.R.China
Name and address of the manufacturer	Schneider Electric Industries SAS 35 Rue Joseph Monier 92500 Rueil-Malmaison, France
Name and address of the factory	Schneider Electric a. s. Cizovska 447 - 39701 Pisek - Czech Republic
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	See the Appendix
Trademark / Brand (if any)	Schneider Electric
Customer's Testing Facility (CTF) Stage used	
Model / Type Ref.	LC1F265,LC2F265,LC1F330,LC1F400,LC1F2654,LC2F2654, LC1F3304,LC1F4004;
Additional information (if necessary may also be reported on page 2)	
A sample of the product was tested and found to be in conformity with	IEC 60947-4-1:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	00901-CB2019CQC-088644-M1


This CB Test Certificate is issued by the National Certification Body

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No. 188 Nansihuan Xilu, Beijing 100070 P. R. China
Tel: +86-10-83886666 Fax: +86-10-83886282
website: <http://www.cqc.com.cn>



Date: Aug.09,2021

Signature: 
Xie ZhaoXu

CB 0063502

LC1F265, LC2F265, LC1F330, LC1F400, LC1F2654, LC2F2654, LC1F3304, LC1F4004

Ui: 1000V ;

Uimp:8kV ;

LC1F265, LC2F265:

Ith: 350A;

AC-3: Ue/ Ie: AC230V/229.6A, 400V/230A, 415V/235.5A, 440V/265A, 500V/224A,
690V/162.4A;

AC-4: Ue/ Ie: AC230V/191.4A, 400V/191.7A, 415V/196.3A, 440V/220.9A, 500V/186.7A,
690V/135.4A;

AC-1: Ue/Ie: AC230V/400V/415V/440V/500V/690V/1000V/350A;

3P;

LC1F330:

Ith: 400A;

AC-3: Ue/ Ie: AC230V/308.7A, 400V/280A, 415V/303.6A, 440V/330A, 500V/280A,
690V/221.6A, 1000V/112A;

AC-1: Ue/Ie: AC230V/400V/415V/440V/500V/690V/1000V/400A;

3P;

LC1F400:

Ith: 500A;

AC-3: Ue/ Ie: AC230V/339.1A, 400V/350A, 415V/368.6A, 440V/400A, 500V/353.5A,
690V/278.8A, 1000V/129.5A;

AC-1: Ue/Ie: AC230V/400V/415V/440V/500V/690V/1000V/500A;

3P;

LC1F2654, LC2F2654:

Page 1 of 2

Additional information (if necessary)

Date: Aug.09,2021

Signature: 
Xie ZhaoXu

Ith: 350A;

AC-1: Ue/Ie: AC230V/400V/415V/440V/500V/690V/1000V/350A;

4P;

LC1F3304:

Ith: 400A;

AC-1: Ue/Ie: 230V/400V/415V/440V/500V/690V/1000V/400A;

4P;

LC1F4004:

Ith: 500A;

AC-1: Ue/Ie: 230V/400V/415V/440V/500V/690V/1000V/500A;

4P

Us: AC: 24V, 48V, 110V, 115V, 120-127V, 200-208V, 220V, 230V, 240V, 380V, 400V, 415V, 440V (40...400Hz); 100-250V AC50-60Hz / 100-380VDC;DC (LC1F265, LC2F265, LC1F2654, LC2F2654, LC1F330, LC1F3304): 24 V, 48V, 110V, 125V, 220-230V, 250V, 440-460V; DC (LC1F400, LC1F4004): 48V, 110V, 125V, 220V, 250V, 440V

Page 2 of 2

Additional information (if necessary)

Date: Aug.09,2021

Signature: 
Xie ZhaoXu