XZCRPC

USB M12 5 poles adapter for safety light curtain integrated muting programming





Main

Accessory / separate part category	Cabling accessory
Accessory / Separate Part Type	Jumper cable

Complementary

Jumper cable end 1	M12 male 5 pins straight screw-on	
Jumper cable end 2	USB Type A 4 pins straight	
Cable composition	4 x 0.25 mm²	
Cable length	6.56 ft (2 m)	
Wire insulation material	PVC	
Cable outer diameter	0.17 in (4.2 mm)	
[Ue] rated operational voltage	30 V DC	
Line Rated Current	1.5 A	
Insulation resistance	>= 100 MOhm	
Maximum resistance across terminals	10 mOhm	
Net Weight	0.18 lb(US) (0.08 kg)	

Environment

Ambient air temperature for operation	-22176 °F (-3080 °C) static
Ambient Air Temperature for Storage	-22176 °F (-3080 °C)

Ordering and shipping details

Category	22483-MACHINE CABLES
Category	22403-WACTINE CABLES
Discount Schedule	DS3
GTIN	3389119646604
Returnability	No

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.79 in (2.0 cm)	
Package 1 Width	3.94 in (10.0 cm)	
Package 1 Length	4.72 in (12.0 cm)	
Package 1 Weight	2.50 oz (71.0 g)	
Unit Type of Package 2	S02	
Number of Units in Package 2	18	
Package 2 Height	5.91 in (15.0 cm)	
Package 2 Width	11.81 in (30.0 cm)	

Package 2 Length	15.75 in (40.0 cm)	
Package 2 Weight	3.64 lb(US) (1.65 kg)	

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	☐ End Of Life Information