## Product data sheet Characteristics

#### 9001KN200

## 30mm push button, Type K, blank black aluminum legend plate

Unmarked black





# Main Range of Product Harmony 9001K Harmony 9001SK Product or Component Blank legend Type

Accessory / Separate Legend plate
Part Type
Accessory / separate Marking acce

Accessory / separate part destination

Label dimensions

part category

Legend plate

Marking accessory

Control and signalling units Ø 30 mm (metal range)

Marking

40 x 43 mm

Complementary

Mounting diameter	1.18 in (30 mm)	
Material	Aluminium	
Net Weight	0.01 lb(US) (0.005 kg)	
Size	30 mm	
Colour of marking	Silver	
Background colour	Black	

#### Ordering and shipping details

<u> </u>		
Category	21433-9001 ACCESS FOR K,KX,SK	
Discount Schedule	CS1	
GTIN	3389110934564	
Returnability	Yes	
Country of origin	US	

#### **Packing Units**

r doking office		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	0.08 in (0.2 cm)	
Package 1 Width	1.97 in (5.0 cm)	
Package 1 Length	3.15 in (8.0 cm)	
Package 1 Weight	0.14 oz (4.0 g)	
Unit Type of Package 2	S01	
Number of Units in Package 2	100	
Package 2 Height	5.91 in (15.0 cm)	
Package 2 Width	5.91 in (15.0 cm)	
Package 2 Length	15.75 in (40.0 cm)	
Package 2 Weight	20.99 oz (595.0 g)	

#### Offer Sustainability

Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Nic compounds, which is known to the State of California to cause cance Di-isodecyl phthalate (DIDP), which is known to the State of Californi cause birth defects or other reproductive harm. For more information www.P65Warnings.ca.gov	
REACh Regulation	☑ REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)	
Mercury free	Yes	
China RoHS Regulation	☐ China RoHS Declaration	
RoHS exemption information	₫Yes	
Environmental Disclosure	Product Environmental Profile	

#### Contractual warranty

Contraction Warranty	
Warranty	18 months

## Product data sheet Dimensions Drawings

### 9001KN200

#### **Dimensions**



а		b	
mm	in.	mm	in.
41.3	1.62	24.6	0.97