



UL Online Certifications Directory

[OCD Home](#) [Quick Guide](#) [Contact Us](#) [UL.com](#)

NOIV.E10054 Auxiliary Devices for Use in Hazardous Locations

[Page Bottom](#)

Auxiliary Devices for Use in Hazardous Locations

[See General Information for Auxiliary Devices for Use in Hazardous Locations](#)

SQUARE D CO

E10054

8001 HWY 64 E

KNIGHTDALE, NC 27545 USA

Trademark and/or Tradename:  "D in a square" "Telemecanique"

Push-button stations, selector switches and pilot lights.

Class I, Groups B, C and D; Class II, Groups E, F and G. Class 9001 , Type GR , Series A, manually operated, air break type, pilot lights with guards.

Class 9001, Type K followed by -Y, followed by -AF, -C, -SS or a blank space, followed by -01 to -30 incl., followed by -00 to -99 incl., followed by two blank spaces and followed by -A or -F .

Push-button stations.

Class I, Groups B, C and D; Class II, Groups E, F and G. Class 9001 , Type BR , Series A and B.

Push-button stations and selector switches.

Class 9001 , Type GT , Series B and C.

Light modules.

Class I, Groups A, B, C and D, Division 2. Class 9001 , Types KM-1, -2, -3, -4, -5, -6, -7, -8, -11, -12, -13, -14, -15 may be followed by L, followed by G, R or Y, may be followed by S1, followed by Series G or H .

Types KMF-1, -7 followed by Series G or H .

Types KM-33S1 followed by Series G or H .

Types KM-23, -25, -31, -32, -33, -35, -36, -37, -38 may be followed by D or L, followed by G, R or Y, followed by Series G or H .

Types KM-33S1, -36S3, -38DS6, -38S5 followed by Series H .

Types KM-38S8, -47 followed by G, R or Y, followed by Series H .

Types KMM-1, -5, -6, -7, -32, -35, -36 followed by Series G or H .

Types KXAKM-21, -23, -24, -25, -26, -27, -28 followed by Series G .

Selector switches and push button stations.

Class I, Groups A, B, C and D, Division 2. Class 9001 , Types KA followed by 41 through 45 or 51 through 55, Series C .

Machine-operated switches.

Class I, Groups B, C and D; Class II, Groups E, F and G. Class 9007 , Type BR , Series A.

Class 9007 , Type CR followed by 53, 61, 65 or 67, followed by Series A .

Class I, Groups B, C and D; Class II, Groups E, F and G; Class III. Models EX2, -4 may be followed by G, followed by -A, -F, -H, -R, -S or -V, followed by -JK or -W , followed by additional suffix combinations.

Model EX-3 may be followed by G, followed by -A, -F, -R, -S or -V, followed by -JK or -W , followed by additional suffix combinations.

Solid state proximity switch.

Class I, Groups A, B, C and D, Division 2; Class II, Groups F and G, Division 2; Class III. Class 9007 followed by Type C74, C76, C84 or C86, followed by Series A, followed by A, A1, A2, B, B1, B2, BN, BNL, BN2, C, C1, C2, D, DR, DS1, DS2, E, ECRB-1, ECRB-2, ECRB-3, EDR, ER, F, G, GD, H, HH, HV, J, K, L, LP, N, N1, N2, NC1 or NC2 .

Class 9007 , Type PSN or PSP followed by 1, 2, 3 or 4, followed by 23 or 24, followed by A or C, Series A, with or without the following forms added separately or in combination, L2, L3, Y51, Y140, Y140-1, Y140-2, Y147, Y152 .

Auxiliary devices.

Class I, Groups A, B, C and D, Division 2; Class II, Groups F and G, Division 2; Class III. Class 9001 , Type SKY followed by 1 to 25 incl.

Class II, Groups F and G, Division 2; Class III. Class 9001, Type K followed by -Y followed by -AF, -C, -SS or a blank space, followed by -1 to -30 incl., may be followed by -00 to -99 incl., followed by two blank spaces and followed by -A or -F .

[Last Updated](#) on 2005-09-22

[Questions?](#)[Notice of Disclaimer](#)[Page Top](#)

®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2007 Underwriters Laboratories Inc.®"

