

# **Certificate of Compliance**

**Certificate:** 1380287 **Master Contract:** 225619 (044087\_S\_000)

**Project:** 70170885 **Date Issued:** 2018-03-15

**Issued to:** Telemecanique/Schneider Electric Industries SAS

**BP 660** 

Zone Industrielle No. 3 L'Isle d'Espagnac, 16340

**FRANCE** 

The products listed below are eligible to bear the CSA Mark shown



**Issued by:** J.-C. Chow J.-C. Chow

#### **PRODUCTS**

CLASS 3211 03 - INDUSTRIAL CONTROL EQUIPMENT - Motor Controllers - Auxiliary Devices

Auxiliary Devices, 16 mm line, Type 4, 4X and 13 enclosures:

Push buttons, Cat No. XB6AA, XB6S, XB6CA or XB6DA, Pilot lights, Cat No. XB6AV, XB6CV or XB6DV, Illuminated push buttons and selectors, Cat Nos. XB6AE, XB6AF, XB6AW, XB6AK, XB6CE, XB6CF, XB6CW, XB6CK, XB6DE, XB6DF, XB6DK or XB6DW, Key switches, Cat No. XB6AG, XB6CG or XB6DG, Selector switches, Cat No. XB6AD, XB6CD or XB6DD, followed by a three or four numbers and/or letters suffix and rated B300, R300.

Contact blocks, Cat No. ZB6, followed by E or Z, followed by 1 or 2, followed by A, B, D or E, rated B300, R300.

Pilot light blocks, Cat No. ZB6, followed by E or Z, followed by B, G, H or M, followed by one digit, followed by A or B. LED type: 12-24V ac/dc or 48/120V ac or 230V ac. Neon type: 230V ac max. Incandescent type: 24V max, 0.6W max.

Illuminated push buttons/selector blocks, Cat No. ZB6, followed by Z, followed by B, G, H or M, followed by a two digit number, followed by B or E. LED type: 12-24V ac/dc or 48/120V ac or 230V ac. Neon type: 230V ac max. Incandescent type: 24V max, 0.6W max.

Operating heads, Cat No. ZB6, followed by A, C or D, followed by a letter, followed by one digit or one letter may be followed by 1 through 7.

Accessory kits, Cat No. ZB6Y, followed by a three digit number.

DQD 507 Rev. 2016-02-18



 Certificate:
 1380287
 Master Contract:
 225619

 Project:
 70170885
 Date Issued:
 2018-03-15

Auxiliary devices, 22 mm line, electrical blocks and accessories for printed circuit board connection:

Contact blocks, Cat. No. ZBE701 or ZBE 702, rated B300, R300.

Contact blocks, Cat. No. ZBE7016 or ZBE 7026, rated 24 V, 100 mA resistive.

Pilot light blocks, Cat. No. ZBVB, followed by suffixes, LED type rated 24V ac/dc.

Accessory kits, Cat. No. ZBZ010, ZBZ010S, ZBZ011, ZBZ012, ZB4BZ079 or ZB5AZ079.

<u>Note</u>: These devices are certified for use in other certified equipment where the suitability of the combination is determined by CSA.

#### **APPLICABLE REQUIREMENTS**

CSA-C22.2 No. 14-13 - Industrial Control Equipment CAN/CSA-C22.2 No. 94-M91 - Special Purpose Enclosures



## Supplement to Certificate of Compliance

**Certificate:** 1380287 **Master Contract:** 225619 (044087\_S\_000)

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

### **Product Certification History**

Project	Date	Description
70170885	2018-03-15	Revised catalog designation (nomenclature) of all types, addition for Auxiliary devices 16mm line of alternate plastic material for Diffuser, Lens and Handle illuminated type.
1961548	2007-11-28	Addition of rating "12-"24 Vac/dc for ZB6, and trademark logo marking; correction from "B300 or R300" to "B300, R300"; change in material (1110F to 1000) for ZB6.
1794782	2006-06-01	Addition of contact blocks ZBE-7016 and -7026.
1380287	2002-11-20	Addition of Cat. Nos. ZB6-EG and –EM. Also addition of ZBZ-010S, -011 and -012 sockets. <i>Report 164581-1380287 supersedes report LR 44087-116</i> .
LR 44087-143	1999-04-22	Addition of 22 mm electrical blocks and accessories for printed circuit board connection.
LR 44087-142	1999-03-09	Addition of emergency stop devices, Cat. No. XB6-AS.
LR 44087-116	1997-10-09	Auxiliary devices, 16 mm line, Models XB6 and ZB6. Report LR 44087-116 is superseded by report 164581-1380287.