

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20160408-E103955  
**Report Reference** E103955-20010810  
**Issue Date** 2016-APRIL-08

**Issued to:** SCHNEIDER ELECTRIC INDUSTRIES SAS  
ELECTROPOLE/EYBENS, POWER / LV  
31 RUE PIERRE MENDES FRANCE  
38050 GRENOBLE CEDEX 9 FRANCE

**This is to certify that  
representative samples of**

CIRCUIT-BREAKER ACCESSORIES  
See Addendum Page

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL489, Molded-Case Circuit Breakers, Molded-Case  
Switches and Circuit-Breaker Enclosures

**Additional Information:** See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20160408-E103955  
**Report Reference** E103955-20010810  
**Issue Date** 2016-APRIL-08

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Type Powerpact P Accessories.

SPECIFIC TO POWERPACT P:

See description on the following pages:

Motor Operator Cat. Nos. S47390-S47393; S47395; S47396; S47398; S47400.

Accessory terminal. (may also be used on Powerpact M).

ACCESSORIES WHICH CAN BE ASSEMBLED EITHER ON COMPACT NS, MASTERPACT NT, POWERPACT P OR POWERPACT M:

Auxiliary and alarm switch, Cat. No. S29450-S29452. See description in File E103955, Vol. 3, Sec. 1.

ACCESSORIES WHICH CAN BE ASSEMBLED EITHER ON POWERPACT P, MASTERPACT NT OR POWERPACT M:

1Undervoltage Release Cat. Nos. S33668-S33674; S33819-S33825.

1Shunt trip and closing coil, Cat. Nos. S33809-S33816; Cat. Nos. S33032-S33039; S33658-S33665; S33791-S33797.

1Time delayed undervoltage trip Cat. Nos. S33680-S33685.

1Overcurrent trip switch Cat. Nos. S29450-S29452.


1Connected test disconnected switch Cat. Nos. S33170-S33171 (NT and NW only).

1External neutral sensor, Cat. Nos. S33575-S33576.

16-12 points wiring harness for communication Cat. No. S33101.

2Breaker communication module Cat. Nos. S47405, S48892, S47406, S47409, S48384, S48893, S48385, S48388.

Note - The accessories marked with a 1 are described in File E103955, Vol. 4, Sec. 1. The accessories marked with a 2 are not described because they are low voltage, low energy and totally isolated from the tripping functions. They do not concern with safety issues.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

