

NRAQ.E486184 - Programmable Controllers

Programmable Controllers

SCHNEIDER ELECTRIC FRANCE, DBA Industrial Automation

E486184

35 rue Joseph Monier Rueil Malmaison, 92500 France

Trademark and/or Tradename: Schneider

Note: For additional marking information, refer to the **Guide Information Page**.

View model for additional information

AC Discrete Input Modules, "TSX Advantys Series", Model(s): STBDAI52304, STBDAI52604, STBDAI52604, STBDAI52304, <a href="mailto:STBDAI52304, <a href="mailto:STBDAI52304, STBDAI52304, <a href="mailto:STBDAI52304, STBDAI52304, <a href="mailto:STBDAI52304, <a href="mailto:STBDAI52304, STBDAI52304, <a href="mailto:STBDAI52304, STBDAI52304, <a href="mailto:STBDAI52304, <a href="mailto:STBDAI52304, <a href="mailto:STBDAI52304, <a href="mailto:STBDAI5244, <a href="mailto:STBDAI524444, <a href="mailto:STBDAI52444, <a href="mailto:STBDAI524

AC Discrete Output Modules, "TSX Advantys Series", Model(s): STBDAO5260\$, STBDAO8210\$

Accessory Open type Ethernet Switches, Model(s): TCSESL043F23F0

Accessory Open type Rail Switch, Model(s): MCSEAM0100

Accessory Rail Switch open type:, Model(s): 499NCA20000

Analog 4 Inputs and 2 Outputs Cards, Half Size, Model(s): TSX-AMZ600

Analog I/O Modules, "TSX Advantys Series", Model(s): <u>STBACI0320\$</u>, <u>STBACI1225\$</u>, <u>STBACI1230\$</u>, <u>STBACI1400\$</u>, <u>STBACI8320\$</u>, <u>STBACO0120\$</u>, <u>STBACO0220\$</u>, <u>STBACO1210\$</u>, <u>STBACO1225\$</u>, <u>STBACO8220\$</u>, <u>STBAVI0300\$</u>, <u>STBAVI1225\$</u>, <u>STBAVI1275\$</u>, <u>STBAVI1400\$</u>, <u>STBAVO0200\$</u>, <u>STBAVO1250\$</u>, <u>STBAVO1255\$</u>, <u>STBAVO1265\$</u>

Analog Input Cards, Model(s): <u>TSX-ADT#</u>, <u>TSX-AEM#</u>

Analog Input Cards, Half Size, Model(s): TSX-AEZ414, TSX-AEZ801, TSX-AEZ802, TSX-CTZ22A

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AAI 030 00</u> consisting of the following, with or without the suffix C.

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AAI 140 00</u> consisting of the following, with or without the suffix C.

Analog Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AAI 520 40</u> consisting of the following, with or without the suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ACI03000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ACI04000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): <u>140ARI03000</u> All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ARI03010 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140ATI03000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140AVI03000 All model numbers may be followed by Suffix C.

Analog Input Modules, "Modicon Quantum", Model(s): 140SAI94000S All model numbers may be followed by Suffix C.

Analog Input Modules, "System TIO", Model(s): 170 BAO 126 00

Analog Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ANR 120 90</u> consisting of the following, with or without the suffix C.

Analog Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ANR 120 91</u> consisting of the following, with or without the suffix C.

Analog Mixed Input/Output Modules, "Modicon Quantum", Model(s): <u>140AMM09000</u> All model numbers may be followed by Suffix C.

Analog Output Cards, Model(s): TSX-ASR#, TSX-AST#

Analog Output Cards, Half Size, Model(s): TSX-ASZ200, TSX-ASZ401

Analog Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AAO 120 00</u> consisting of the following, with or without the suffix C.

Analog Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AAO 921 00</u> consisting of the following, with or without the suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140ACO02000 All model numbers may be followed by Suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140ACO13000 All model numbers may be followed by Suffix C.

Analog Output Modules, "Modicon Quantum", Model(s): 140AVO02000 All model numbers may be followed by Suffix C.

Analog Output Modules, "System TIO", Model(s): 170 BAI 036 00, 170 BAI 036 01

AS-I Bus Master Modules, Model(s): TSX-SAZ10

Auxiliary Power Supply Modules, "TSX Advantys Series", Model(s): STBCPS2111\$

Backplanes, "Modicon Quantum", Model(s): 140XBP00200 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): <u>140XBP00300</u> All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00400 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP00600 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP01000 All model numbers may be followed by Suffix C.

Backplanes, "Modicon Quantum", Model(s): 140XBP01600 All model numbers may be followed by Suffix C.

Cable Assemblies, "Modicon Quantum", Model(s): <u>140XTSx</u>, where x is a 5 (five) digits extension, the 2 last digits being representative of cable length.

CableFast, "Modicon Quantum", Model(s): <u>140CF,</u> followed by a letter (A to K), followed by 004, 008, 016, 032, 040 followed by 00.

CanBus Extension Modules, "TSX Advantys Series", Model(s): STBXBE11004, STBXBE12004, <a href="

Central Processor Units, Model(s): TSX-P107, TSX-P47, TSX-P47-1, TSX-P67, TSX-P87

Comm. Module, "Adaptable TIO Series", Model(s): 170 LNT 810 00

Communication Cables, "Modicon Quantum", Model(s): <u>490 NAA,</u> followed by 27, followed by 1, followed by 0, followed by 0, 1, 2, 3, 4 or 6.

Communication Module-PROFIBUS TAP, "Modicon Quantum", Model(s): <u>490NAE91100</u> All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140CHS11000 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA21110 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA21120 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA21210 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA21220 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA31200 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA31908 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA31908C All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA93100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA93101 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA93200 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRA93201 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRP31200 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRP81100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRP93100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140CRP93200 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140DCF07700 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140EIA92100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140ESI06200 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140ESI06210 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOA61100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOA61110 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOC77100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOC78000 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOC78100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOE77100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOE77101 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOE77110 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOE77111 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOM21100 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOM21200 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOM25200 All model numbers may be followed by Suffix C. Communication Modules, "Modicon Quantum", Model(s): 140NOP85000 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NOP91100 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP31200 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP31201 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP95400 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NRP95401 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140NWM10000 All model numbers may be followed by Suffix C.

Communication Modules, "Modicon Quantum", Model(s): 140XBE01000 All model numbers may be followed by Suffix C.

Communication Taps, "Modicon Quantum", Model(s): <u>990 NAD,</u> followed by 23, followed by 0, followed by 1 or 2, followed by 0, 1, 2 or 3.

Communications Modules, Model(s): TBX LEP020, TBX LEP030, TSX SCP111, TSX SCP112, TSX SCP114

Connection Cables, Model(s): <u>TSX-CAPH</u> followed by numbers., <u>TSX-CAPS</u> followed by numbers., <u>TSX-SCPCD</u> followed by numbers.

counting modules, Model(s): TSX-CTZ1A, TSX-CTZ1B

Counting Modules, Model(s): TSX-CFZ1, TSX-CFZ2

Coupling Units, Model(s): TSX-STZ10

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU65150</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU65160, may be followed by S.</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU65260</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU65860</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU67060</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU67160, may be followed by S.</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU67260</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU67261</u> All model numbers may be followed by Suffix C.

CPU High End Modules, (Double Slot), "Modicon Quantum", Model(s): <u>140CPU67861</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU43412U</u>, <u>140CPU53414</u>, <u>140CPU53414U</u>, <u>140CPU53414U</u>

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU11302</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU11303</u> All model numbers may be followed by Suffix C.

Feedback

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU11304</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU21303</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU21304</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU31110</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU42402</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU43302</u> All model numbers may be followed by Suffix C.

CPU Legacy Modules, (Single Slot), "Modicon Quantum", Model(s): <u>140CPU43412A</u> All model numbers may be followed by Suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>171 CBU 78090</u> consisting of the following, with or without the suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>171 CBU 98090</u> consisting of the following, with or without the suffix C.

CPU Top Hats, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>171 CBU 98091</u> consisting of the following, with or without the suffix C.

DC Discrete Input Modules, "TSX Advantys Series", Model(s): <u>STBDDI3230\$</u>, <u>STBDDI3420\$</u>, <u>STBDDI3425\$</u>, <u>STBDDI3725\$</u>

DC Discrete Output Modules, "TSX Advantys Series", Model(s): <u>STBDDO3200\$</u>, <u>STBDDO3230\$</u>, <u>STBDDO3410\$</u>, <u>STBDDO3410\$</u>, <u>STBDDO3600\$</u>, <u>STBDDO3600\$</u>, <u>STBDDO3600\$</u>, <u>STBDDO3705\$</u>

Digital Input Cards, Model(s): <u>TSX-DET-1604</u>, <u>TSX-DET-1612</u>, <u>TSX-DET-1613</u>, <u>TSX-DET-466</u>, <u>TSX-DET-802</u>, <u>TSX-DET-803</u>, <u>TSX-DET-803</u>, <u>TSX-DET-812</u>, <u>TSX-DET-813</u>, <u>TSX-DET-824</u>

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADI 340 00</u> consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADI 350 00</u> consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADI 540 50</u> consisting of the following, with or without the suffix C.

Digital Input Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADI 740 50</u> consisting of the following, with or without the suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI34000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI44000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI45300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI54000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI54300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI74000 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DAI75300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI15310 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI35310 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI36400 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI67300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI84100 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DDI85300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140DSI35300 All model numbers may be followed by Suffix C.

Digital Input Modules, "Modicon Quantum", Model(s): 140SDI95300S All model numbers may be followed by Suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 350 10</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 350 11</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 350 15</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 370 10</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 390 10</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 390 30</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 390 31</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 540 80</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 690 50</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 690 51</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADM 850 10</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AMM 090 00</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AMM 090 01</u> consisting of the following, with or without the suffix C.

Digital Input/Output Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ARM 370 30</u> consisting of the following, with or without the suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): <u>140DAM59000</u> All model numbers may be followed by Suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): <u>140DDM39000</u> All model numbers may be followed by Suffix C.

Digital Mixed Input/Output Modules, "Modicon Quantum", Model(s): <u>140DDM69000</u> All model numbers may be followed by Suffix C.

Digital Ouput Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADO 340 00</u> consisting of the following, with or without the suffix C.

Digital Ouput Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADO 350 00</u> consisting of the following, with or without the suffix C.

Digital Ouput Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADO 530 50</u> consisting of the following, with or without the suffix C.

Digital Ouput Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADO 540 50</u> consisting of the following, with or without the suffix C.

Digital Ouput Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADO 730 50</u> consisting of the following, with or without the suffix C.

Digital Ouput Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 ADO 740 50</u> consisting of the following, with or without the suffix C.

Digital Output Cards, Model(s): <u>TSX-DST-1604</u>, <u>TSX-DST-1612</u>, <u>TSX-DST-1635</u>, <u>TSX-DST-1682</u>, <u>TSX-DST-417</u>, <u>TSX-DST-804</u>, <u>TSX-DST-805</u>, <u>TSX-DST-817</u>, <u>TSX-DST-835</u>, <u>TSX-DST-882</u>

Digital Output Modules, Model(s): <u>170 BDO 356 00</u>, <u>170 BDO 946 50</u>

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84010 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): <u>140DAO84210</u> All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DAO84220 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): <u>140DAO85300</u> All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): <u>140DDO15310</u> All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): <u>140DDO35300</u> All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): <u>140DDO35301</u> All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): <u>140DDO35310</u> All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): <u>140DDO36400</u> All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DD084300 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DDO88500 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DRA84000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DRC83000 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140DVO85300 All model numbers may be followed by Suffix C.

Digital Output Modules, "Modicon Quantum", Model(s): 140SDO95300S All model numbers may be followed by Suffix C.

Display and Control Terminals, Model(s): <u>CCX 17</u> followed by 20 or 30, followed by F or L, may be followed by W or PS, may be prefixed by T.

Display and Control Terminals, Model(s): CCX 17 followed by 20 or 30 followed by F or L, followed by FP, may be prefixed by T.

Distributed Analog I/O Modules, Model(s): TBX AES400, TBX AMS620, TBX ASS200

Emergency Stop Security Modules, Model(s): <u>TSX-DPZ10D2A</u>

Enclosed type, programmable controller, industrial wireless LAN access point device, Model(s): <u>TCSGWA272</u>, <u>TCSNWA271</u>, TCSNWA271F

Ethernet switches, Model(s): TCSESU051F0

Expansion Interfaces, Model(s): TBX-CBS010

Expansion Units, Model(s): TSX DMF242A, TSX DMF342A, TSX DMF344A, TSX DMF401, TSX-RKZ02

Extended Temperature Modules, "Modicon M340", Model(s): <u>BMX-CPS3540T,</u> <u>BMX-DDI1604T,</u> <u>BMX-DRA0804T,</u> <u>BMX-DRA0804T, BMX-DRA0804T, BMX-DRA</u>

Extension Blocks, Model(s): TSX-DEF804, TSX-DEF812, TSX-DSF604, TSX-DSF612, TSX-DSF635

Fast Input/Output Cards, Model(s): TSX-DMR

Hand Held Programmer, Model(s): TSX-T317

High Speed Counter Modules, "TSX Advantys Series", Model(s): STBEHC3020\$

High Speed Counters, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 AEC 920 00</u> consisting of the following, with or without the suffix C.

HIMatrix F60 Series afe analog output cards, Model(s): XPSMFAO801

HIMatrix F60 Series digital (24) input units, Model(s): XPSMFDI2401

HIMatrix F60 Series digital (32) input units, Model(s): XPSMFDI3201

HIMatrix F60 Series housing with bus (6 E/A places), Model(s): XPSMFGEH01

HIMatrix F60 Series power supplies, Model(s): XPSMFPS01

HIMatrix F60 Series relay output units, Model(s): XPSMFDO801

HIMatrix F60 Series safe analog input cards, Model(s): XPSMFAI801

HIMatrix F60 Series safe counter modules, Model(s): XPSMFCIO2401

HIMatrix F60 Series safe digital I/O modules, Model(s): XPSMFDIO241601

I/O Base Modules, "TSX Advantys Series", Model(s): STBXBA2100, STBXBA2100, <a href="mailto:STBXBA2100, STBXBA2100, <a href="mailto:STBXBA2100, STBXBA2100, <a href="mailto:STBXBA2100, STBXBA2100, <a href="mailto:STBXBA2100, <a href="mailto:STBXBA2100, <a href="mailto:STBXBA2100,

I/O Modules, Model(s): 170 BAM 096 00, 170 BAM 096 01, 170 BDM 344 00, 170 BDM 344 01, 170 BDM 346 30

Industrial Ethernet Rail Switch Open Type, Model(s): MCSESU053F1CU0, MCSESU083FN0, MCSESU083FN0, <a href="MCSESU083F

Industrial Ethernet Switch, Model(s): TCSESB083F2CS0M (SM), TCSESB083F2CU0M (MM)

Input Base Units, Model(s): TBX DES16 22, TBX DES16 33, TBX DES16 C22, TBX DES16 F22

Input Base Units, Full Size, Model(s): TSX-DEZ32 followed by D2

Input Base Units, Half Size, Model(s): TSX-DEZ08. followed by A4, D2, D2K, A5., TSX-DEZ12. followed by A4, D2, D2K, A5.

Input Modules, Model(s): <u>170 BDI 344 00</u>, <u>170 BDI 344 01</u>, <u>170 BDI 346 00</u>, <u>170 BDI 354 00</u>, <u>170 BDI 354 01</u>, <u>170 BDI 356 00</u>, <u>170 BDI 356 00</u>, <u>170 BDI 746 50</u>

Input/Output Base Units, Model(s): TBX DMS1025, TBX DMS16 25, TBX DMS16 C22, TBX DMS16 C222, TBX DMS16 P22

Input/Output Base Units, Full Size, Model(s): <u>TSX-DMZ16AR</u>, <u>TSX-DMZ16DR</u>, <u>TSX-DMZ16DT</u>, <u>TSX-DMZ16DTK</u>, <u>TSX-DMZ28AR</u>, <u>TSX-DMZ28DT</u>, <u>TSX-DMZ28DTK</u>, <u>TSX-DMZ64DTK</u>, <u>TSX-DMZ64DTK</u>

Input/Output Module, "System TIO", Model(s): <u>170 BDM 346 02</u>, <u>170 BDM 379 00</u>, <u>170 QPR 330 00</u>, <u>170 QPR 346 00</u>, <u>170 QPR 346 00</u>, <u>170 QPR 346 20</u>, <u>170 QPR 346 21</u>

Inter PC Communication Cards, Model(s): <u>TSX-MPT</u>

Interface Modules, Model(s): <u>170 BNO 681 00</u>, <u>173CHT26010</u>, <u>173CHT76010</u>

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 BNO 67100</u> consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 FNT 11000</u> consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO and CPU Top Hat Series", Model(s): <u>170 FNT 11001</u> consisting of the following, with or without the suffix C.

Interface Modules, "Adaptable TIO Series", Model(s): <u>170 DNT 110 00</u>, <u>170 INT 110 00</u>, <u>170 INT 110 01</u>, <u>170 INT 110 03</u>, <u>170 INT 120 00</u>

Keyboard, Model(s): <u>TSX17-T317</u>

Keyboards, Model(s): <u>TSX-T107</u>, <u>TSX-T307</u>, <u>TSX-T407</u>

Low Voltage Cards, Model(s): TSX-ADT201, TSX-AEM401, TSX-ASR200, TSX-AST200, TSX-LES20

Memory Extension, Model(s): TSX-MFP032P

Memory Extensions, Model(s): TSX-MEM, TSX-MFP032, TSX-MFPBAK032, TSX-MRP032

Modicon M340 and M580 Digital and analog I/O modules, Model(s): BMX-DAI followed by 1614, 1614H, 1615, or 1615H

Modicon M340 and M580 Ruggedized modules, Model(s): BMXDAI16142

Modicon M340 and M580 power supplies modules, Model(s): <u>BMXCPS</u> followed by 2000, 3500, 3500H, 3540T, 2010, 3020, 3020H

Modular Units, Model(s): TSX37-05 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-05 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-08 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-08 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-10 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-10 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-21 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-21 followed by 10 may be followed by numbers and/or letters.

Modular Units, Model(s): TSX37-22 followed by 00 may be followed by numbers and/or letters.

Modular Units, Model(s): <u>TSX37-22 followed by 10</u> may be followed by numbers and/or letters.

Momentum Series Special Modules, Model(s): <u>ISP00100</u> (with serial communication display port)

Momentum Series Special Modules, Model(s): ISP00101 (without serial communication display port)

Monobloc Input Modules, Model(s): TBX CEP1622

Monobloc Input/Output Modules, Model(s): TBX SAP10 coupling module FIPIO/ASI.

Monobloc Output Modules, Model(s): TBX CSP16 22, TBX CSP16 25

Nano-programmable controllers, Model(s): TSX AMN4000

Nano-Programmable Controllers, Model(s): TSX07 followed by 32 or 33, followed by 10, 16 or 24, followed by 12, 22 or 28.

Network Interfaces Modules, "TSX Advantys Series", Model(s): <u>STBNCO1010 (h)</u>, <u>STBNCO1113 (h)</u>, <u>STBNCO2212 (h)</u>, <u>STBNDN1010 (h)</u>, <u>STBNDN2212 (h)</u>, <u>STBNDP1010 (h)</u>, <u>STBNDP2212 (h)</u>, <u>STBNIP1010 (h)</u>, <u>STBNIP2212 (h)</u>, <u>STBNIP2311 (h)</u>, <u>STBNIP2311 (h)</u>, <u>STBNIP2311 (h)</u>, <u>STBNIP2212 (h)</u>

One-Axis Command Modules, Model(s): TSX-CAZ11

Open type, programmable controller, Industrial Ethernet switch, Model(s): <u>TCSESB083F23F0</u>, <u>TCSESB083F2CU0</u>, TCSESB093F2CU0

Open type, programmable controller, Industrial wireless LAN access point device, Model(s): <u>TCSGWA242</u>, <u>TCSGWA241</u>, <u>TCSNWA241F</u>

Open type, programmable controllers, Model(s): TCSESU083FN0

Open type, Programmable controllers, Model(s): <u>BME CXM 0100</u>, <u>BME CXM 0100H</u>, <u>BME PXM 0100</u>, <u>BME PXM 0100H</u>, <u>MCSESR043F23F0</u>, <u>MCSESR043F23F0C</u>, <u>MCSESR043F2LM0C</u>, <u>MCSESR043F2LM0C</u>, <u>Modicon M340 and M580</u>, <u>TCSEFEA23F3F22</u>, <u>TCSEFEC23F3F21</u>, <u>TCSEFEC23FCF21</u>

Open type, Programmable controllers, "Modicon MC80", Model(s): BMKC8020300, BMKC8020301, BMKC8030311

Output Base Units, Model(s): TBX DSS1235, TBX-DSS1622, TBX-DSS1625, TBX-DSS16C22

Output Base Units, Full Size, Model(s): TSX-DSZ32 followed by R5, TSX-DSZ32 followed by T2

Output Base Units, Half Size, Model(s): <u>TSX-DSZ04R5</u>, <u>TSX-DSZ04T2</u>, <u>TSX-DSZ04T22</u>, <u>TSX-DSZ04T2K</u>, <u>TSX-DSZ08R5</u>, <u>TSX-DSZ08T2</u>, <u>TSX-DSZ08T2Z</u>, <u>TSX-DSZ08T2X</u>

Output Modules, "System TIO", Model(s): 170 BDO 354 00

Power Distribution Modules, "TSX Advantys Series", Model(s): STBPDT2100\$, STBPD2100\$, STBPD2100\$, STBPD2100\$, STBPD2100\$, STBPD2100\$, <a href="STBPD2100"

Power Supplies, Model(s): <u>TSX-SUP-11</u>, <u>TSX-SUP-12</u>, <u>TSX-SUP-12A</u>, <u>TSX-SUP-21</u>, <u>TSX-SUP-22</u>, <u>TSX-SUP-22A</u>, <u>TSX-SUP-40</u>, <u>TSX-SUP-40</u>, <u>TSX-SUP-41</u>, <u>TSX-SUP-60</u>, <u>TSX-SUP-61</u>, <u>TSX-SUP-65</u>, <u>TSX-SUP-702</u>, <u>TSX-SUP-80</u>

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS111100 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS11400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS11410 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS11420 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS12400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS12420 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS21400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS22400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS41400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS42400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS51100 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS52400 All model numbers may be followed by Suffix C.

Power Supply Modules, "Modicon Quantum", Model(s): 140CPS52400 All model numbers may be followed by Suffix C.

Power Supply, "System TIO", Model(s): 170 CPS 111 00

Profibus remote masters, open type, Model(s): TCSEGPA23F14F, TCSEGPA23F14FK

Programmable (Portable), Model(s): FTX517, may be prefixed by "T"

Programmable Cell Controllers, Model(s): CCX77 followed by 2 to 4 digits, may be prefixed by T.

Programmable Cell Controllers, Model(s): CCX77FP followed by 2 to 4 digits, may be prefixed by T.

Programmable Controller, Model(s): <u>140CRP31200</u>, <u>140CRP31200C</u>, <u>140NOC77101</u>, <u>140NOC77101C</u>, <u>140NOC78000</u>, <u>140NOC78000C</u>, <u>140NOC78100C</u>, <u>BMXNOC0401C</u>, <u>BMXNOC0401H</u>, <u>BMXNOC0401H</u>, <u>BMXNOC0401H</u>, <u>BMXNOC0402C</u>, <u>BMXNOC0402H</u>, <u>TSXETC100</u>, <u>TSXETC101</u>

Programmable Controller Racks, Model(s): <u>TSX-107</u>, <u>TSX-47</u>, <u>TSX-47</u>, <u>TSX-67</u>, <u>TSX-87</u>, <u>TSX-87</u>, <u>TSX-RKD8</u>, <u>TSX-RKD8</u>, <u>TSX-RKD8</u>, <u>TSX-RKD8</u>, <u>TSX-RKS8</u>, <u>TSX-RKS8</u>, <u>TSX-RKS8W11</u>

Programmable controller, Open type, firewall modules, Model(s): <u>TCSEFEC23F3F20</u>, <u>TCSEFEC23FCF20</u>, <u>TCSEFEC22F3F20</u>

Programmable Controller-Accessories, "TSX Advantys Series", Model(s): <u>STBXTS5510 Telefast Twido Input\$</u>, <u>STBXTS5610 Telefast Twido Output\$</u>, <u>STBXTS5660 Telefast Output\$</u>, <u>STBXTS6510 Telefast Input\$</u>

Programmable controllers, Model(s): TCSEFEA23F3F20, TCSEFEA23F3F21, TCSESM043F1CS0, TCSESM043F1CU0, TCSESM043F2CS0, TCSESM043F2CS0, TCSESM063F2CS1, TCSESM063F2CS1, TCSESM063F2CU1, TCSESM083F1CS0, TCSESM083F1CS0, TCSESM083F2CS0, TCSESM083F2CS0, TCSESM083F2CS0, TCSESM083F2CS0, TCSESM103F2CS0, TCSESM103F

Programmable Controllers, Model(s): BMECRA followed by 31310 or 31310H, BMECRD followed by 0100 or 0100C, BMED58 followed by 1020 or 1020C, BMEH58 followed by 2040S, 4040S or 6040S, BMENOR followed by 2200 or 2200H, BMENUA followed by 0100 or 0100H, BME-P58 followed by 6040S, BMER58 followed by 1020 or 1020C, BMXDDI3203, BMXDDI3203H, BMXDDI3232, BMXDDI3232H, BMXDDO3202L, BMXDDO3202H, BMXERT followed by 1604H, MCSESM043F23F0, MCSESM053F1CS0, MCSESM053F1CU0, MCSESM063F2CU0, MCSESM083F23F0, MCSESM083F23F0H, MCSESM083F23F1, MCSESM083F23F1H, MCSESM093F1CS0, MCSESM093F1CU0, MCSESM103F2CS0, MCSESM103F2CS0H, MCSESM103F2CS1, MCSESM103F2CS1H, MCSESM103F2CU0, MCSESM103F2CU0H, MCSESM103F2CU1H, MCSESM103F2CU1H, MCSESM123F23G0, MCSESM123F21G0, MCSESM163F23F0, MCSESM103F2CU1H, MCSESM123F23G0, MCSESM123F21G0, MCSESM163F23F0, MCSESM203F41G0, MCSESM23F41G0, MCSESP083F23G0, MCSESP083F23G0T, PMEPXMTK followed by digit numbers, TSX AMN4001, TSX17 followed by 02028, TSX17 followed by 23444, TSX17 followed by 24012, XPSMFCPU22

Programmable Controllers, "Modicon M340 and M580", Model(s): <u>TSXCAN</u> followed by CA, CADD, CB, CBDD, CD or TDM, followed by 1, 2 or 3 digit number

Programmable Controllers, "Modicon M340 and M580", Model(s): <u>TSXCAN, followed by KCDF</u> followed by 2 or 3 digit number, followed by T or TP

Programmable Controllers, "Modicon M340, M580, Digital and analog I/O modules", Model(s): <u>BMXDRC followed by 0805 or 0805H</u> followed by 2 or 3 digit number, followed by T or TP

Programmable Controllers, "Modicon Quantum", Model(s): 140XSM01000, 140XTS00100, 140XTS00200, 140XTS33200, 467NHP91151

Programmable Controllers, "Modicon Quantum", Model(s): 140CPS52420 All model numbers may be followed by Suffix C.

Programmable controllers, open type, Model(s): 499NMS25101, 499NMS25102, 499NSS25101, 499NSS25102, TCSESU103F2CS0, TCSESU103F2CU0

Programmable controllers, Open type, Rugged Ethernet DIN Rail Switches, Model(s): TCSESM063F2CS1C, TCSESM063F2CU1C, TCSESM083F23F1C

Programmable logic controllers, Model(s): TCSESU033FN0, TCSESU043F1N0, TCSESU053FN0

Programmers (Portable), Model(s): FTX507, may be prefixed by "T"

Programming Terminals, Model(s): <u>TSX-T607</u>

Protective Covers (Empty Modules), "Modicon Quantum", Model(s): 140 XCP, followed by 500 or 510, followed by 00.

Rack Masters, Model(s): <u>TSX-LES</u> followed by two suffix numbers or letters.

Rack Masters, Model(s): TSX-LFS followed by two suffix numbers or letters.

Rapid counting and positioning cards, Model(s): TSX-AXM#

Rapid Counting and Positioning Cards, Model(s): TSX-AXT#, TSX-CTM#

Relay Output Modules, "TSX Advantys Series", Model(s): STBDRC3210\$

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BME-AHI 0812H, BME-XBP 0400H, BME-XBP 0602H, BME-XBP 0800H, BME-XBP 1002H, BME-XBP 1200H, BMX-AMI0410H, BMX-AMI0810H, BMX-AMM0600H, BMX-AMO0210H, BMX-AMO0410H, BMX-ART0414H, BMX-ART0814H, BMX-CPS 4002H, BMX-CPS3020H, BMX-CPS3500H, BMX-DAI 0802H, BMX-DAI 0803H, BMX-DAI 0804H, BMX-DAI 0814H, BMX-DAI 1602H, BMX-DAI 1603H, BMX-DAI 1604H, BMX-DAI 1614H, BMX-DAO1605H, BMX-DDI1602H, BMX-DDI1603H, BMX-DDM16022H, BMX-DDM16025H, BMX-DDO1602H, BMX-DDO1612H, BMX-DRA0805H, BMX-DRA1605H, BMX-EAE 0300H, BMX-EHC0200H, BMX-EHC0800H, BMX-ETM 0200H, BMX-NGD 0100H, BMX-NOE0100H, BMX-NOE0110H, BMX-NOM0200H, BMX-NOR0200H, BMX-P341000H, BMX-P342020H, BMX-P3420302H, BMX-XBE1000H, BMX-XBP0400H, BMX-XBP0600H, BMX-XBP0800H, BMX-XBP1200H

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BME-P58 followed by 10 or 20, followed by 20 or 40, followed by H.

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI3202 may be followed by K, followed by H

Ruggedized Modules, "Modicon M340 and M580 Series", Model(s): BMX-DDI6402 may be followed by K, followed by H

Serial Communication Cards, Model(s): TSX-SCM

Setup Modules, Model(s): <u>TSX-ACZ03</u>

Snap-on Plugs, Model(s): TSX-RKA01

Specialty Modules, "TSX Advantys Series", Model(s): <u>STBAHI8321\$</u>

Specialty Modules, "TSX Advantys Series", Model(s): STBEPI1145\$, STBEPI2145\$

Specific Modules, "Modicon Quantum", Model(s): 140EHC10500 All model numbers may be followed by Suffix C.

Specific Modules, "Modicon Quantum", Model(s): 140EHC20200 All model numbers may be followed by Suffix C.

Specific Modules, "Modicon Quantum", Model(s): 140HLI34000 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): 140MMS42500 All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): <u>140MMS42501</u> All model numbers may be followed by Suffix C.

Specific Modules-Axis Control, "Modicon Quantum", Model(s): <u>140MMS42502</u> All model numbers may be followed by Suffix *C*

Specific Modules-Axis Control, "Modicon Quantum", Model(s): <u>140MMS52502</u> All model numbers may be followed by Suffix *C*.

Specific Modules-Battery Module, "Modicon Quantum", Model(s): <u>140XCP90000</u> All model numbers may be followed by Suffix C.

Specific Modules-Motion Modules, "Modicon Quantum", Model(s): <u>140MSB10100</u> All model numbers may be followed by Suffix C.

Specific Modules-Motion Modules, "Modicon Quantum", Model(s): <u>140MSC10100</u> All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): <u>140ERT85410</u> All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): <u>140ERT85410Z</u> All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): <u>140ERT85420</u> All model numbers may be followed by Suffix C.

Specific Modules-Time Stamping Modules, "Modicon Quantum", Model(s): <u>140ERT85430</u> All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): <u>140TPFT10</u> All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): <u>TPXF1250</u> All model numbers may be followed by Suffix C.

Specific Modules-TSX Quantum I/F Module Lonworks, "Modicon Quantum", Model(s): <u>TPXF78</u> All model numbers may be followed by Suffix C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-NOC0321 may be followed by C., BME-NOS followed by 0300 or 0300C, BME-P58 1020, BME-P58 1040, BME-P58 2020, BME-P58 2040, BME-P58 3020, BME-P58 3040, BME-P58 4020, BME-P58 4040, BME-P58 5040 may be followed by C, BME-P58 6040 may be followed by C, BME-P58 6040 may be followed by C, BME-P58 6040, BMX-AMI0400, BMX-AMI0410, BMX-AMI0800, BMX-AMI0810, BMX-AMM0600, BMX-AMO0202, BMX-AMO0210, BMX-AMO0402, BMX-AMO0410, BMX-AMO0802, BMX-AMO0810, BMX-ART0414, BMX-ART0814, BMX-CPS 4002, BMX-CPS2000, BMX-CPS2010, BMX-CPS3020, BMX-CPS3020, BMX-CPS3020, BMX-DAO1605K, BMX-DRA0805, BMX-DRA1605, BMX-EAE0300, BMX-EHC0200, BMX-EIA0100, BMX-ETM 0200, BMX-FTA, followed by a 3 digit number., BMX-FTB, followed a 4 digit number., BMX-MSP0200, BMX-NOE0110, BMX-NOE0110, BMX-NOE0110, BMX-NOE0110, BMX-NOE0100, BMX-NOE0110, BMX-NOE0100, BMX-STS HSC followed a 2 digit number, PMX-CDA0000, TCS-CCN, followed digit numbers., TCS-MCN, followed digit numbers.

Standard Modules, "Modicon M340 and M580 Series", Model(s): ABE7 followed by CPA, followed by 2 or 3 digit number

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BME-AHI</u> followed by 08, followed by 12, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-AHO followed by 04, followed by 12, may be followed by 0.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BME-CRA</u> followed by 31, followed by 210, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BME-H58</u> followed by 20, 40 or 60, followed by 40, may be followed by C or K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BME-NOC</u> followed by 03, followed by 01 or 11, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-XBP followed by 04, 08, or 12, followed by 00.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BME-XBP, followed by 06 or 10, followed by 02.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-CRA followed by 31200, 31210 may be followed by C

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-DAI 08 followed by 02, 03, 04, 05 or 14

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-DDI</u> followed by 16, 32 or 64, followed by 02 or 03, may be followed by K or C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-DDM</u> followed by 16 or 32, followed by 02, 022 or 025, may be followed by K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-DDO</u> followed by 16, 32 or 64, followed by 02 or 12, may be followed by K, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-FC</u> followed by A, C or W, followed a 3 or 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-FT</u> followed by W, followed by 3 or 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-FTW</u> followed a 3 or 4 digit number, may be followed by S

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-NOC</u> followed by 04, followed by 01 or 02, may be followed by C.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-NRP followed by 0200, 0200C, 0201 or 0201C

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-P</u> followed by AM or DM, followed by 48, 64 or 82, followed by 000, 100 or 200.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-P34</u> followed by a 4 or 5 digits number, may be followed by ITRB may be followed by CL.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-RMS</u> followed by a 1 or 3 digit number, followed by M or G, may be followed by P or PF or ITRB

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-RWS</u> followed by B, C or FO, followed by a 3 digit number, followed by M.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBC followed by a 4 digit number, followed by K.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XBE followed by 10 or 20, followed by 00 or 05.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-XBP</u> followed by a 4 digit number, may be followed by S.

Standard Modules, "Modicon M340 and M580 Series", Model(s): <u>BMX-XCA</u> followed by USB, followed by H, followed a 3 digit number.

Standard Modules, "Modicon M340 and M580 Series", Model(s): BMX-XTS followed by CPS, followed a 2 digit number.

Standard Modules, "Modicon M340 and M580 Series", Model(s): NCA, followed by 82 or 84, followed by 000.

Supply Module, "System TIO", Model(s): 470 IPS 258 00

System Momentum Communication CPU Modules, Model(s): <u>CCC 76010 (e)</u>, <u>CCC 78010 (e)</u>, <u>CCC 78010 (e)</u>, <u>CCC 96020 (e)</u>, <u>CCC 96030 (e)</u>, <u>CCC 96091 (e)</u>, <u>CCC 98010 (e)</u>, <u>CCC 98020 (e)</u>, <u>CCC 98030 (e)</u>, <u>CCC 98091 (e)</u>, <u>CCS 70000 (e)</u>, <u>CCS 70010 (e)</u>, <u>C</u>

Feedback

76000 (e), CCS 78000 (e)

System Momentum Communication Modules, Model(s): <u>ENT 11000</u>, <u>ENT 11001</u>, <u>ENT 11002</u>, <u>INT 11003</u>, <u>JNN 21032 Ring Adapter</u>, <u>LNT 7100</u>, <u>NEF 11021</u>, <u>NEF 16021</u>, <u>PNN 21022 Ring Adapter MB+</u>, <u>PNN 26022 Ring Adapter MB+</u> <u>Dual</u>, <u>PNT 11020 MB+</u>, PNT 16020 MB+ Dual

Time Stamping Cards, Model(s): TSX-DEM

Timer Module, "Adaptable TIO Series", Model(s): 470 GPS 001 00

TSX57 Series Programmable Controllers, Model(s): AM0ETH001V000, AM0ETH002V000, AM0F1P001V000, AM0MBP001V000, BATM01, BATM02, BATM03, BATM101, NTP100, TSX DMY28FK, TSX DMY28FK, TSX MFPB 096K, TSX-AHK0106, TSX-ASY410, TSX-ASY800, TSX-BLY01, TSX-CAY21, TSX-CAY22, TSX-CAY33, TSX-CAY41, TSX-CAY42, TSX-CBRY2500, TSX-CBRY2500F, TSX-CBRY85, TSX-CBY010K, TSX-CBY010K, TSX-CBY030K, TSX-CBY030K, TSX-CBY050K, TSX-CBY050K, TSX-CBY1000K, TSX-CBY1000K, TSX-CBY1000K, TSX-CBY100K, TSX-CBY120K, TSX-CBY120KT, TSX-CBY180KT, TSX-CBY280KT, TSX-CBY280KT, TSX-CBY380KT, TSX-CBY380KT, TSX-CBY380KT, TSX-CBY380KT, TSX-CBY500KT, TSX-CBY500K

TSX57 Series Programmable Controllers, Model(s): TPCX-57 followed by a three or four digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): <u>TPMX-P57</u> followed by 0, 1, 2, 3, 4, 5 or 6, followed by 1, 2 or 3 digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-AEY followed by 4, 8 or 16, followed by a 2 digit number.

TSX57 Series Programmable Controllers, Model(s): TSX-CAN-CB followed by 1, 2 or 3 numbers.

TSX57 Series Programmable Controllers, Model(s): TSX-CAN-CBDD followed by 1, 2 or 3 numbers.

TSX57 Series Programmable Controllers, Model(s): TSX-CCY followed by 2 to 4 digit number.

TSX57 Series Programmable Controllers, Model(s): TSX-CSY followed by 2 to 4 digit number.

TSX57 Series Programmable Controllers, Model(s): TSX-CXP followed by 3 or 5 numbers or letters.

TSX57 Series Programmable Controllers, Model(s): <u>TSX-DEY</u> followed by 08, 16, 32 or 64, followed by A2, A3, A4, A5, D2, D3, F or RF, may be followed by K.

TSX57 Series Programmable Controllers, Model(s): <u>TSX-DSY</u> followed by 08, 16, 32 or 64, followed by T2, T3, S4, S5, R4 or R5, may be followed by 1, 2, A, D or K.

TSX57 Series Programmable Controllers, Model(s): TSX-H57 followed by a 4 digit number, followed by M.

TSX57 Series Programmable Controllers, Model(s): <u>TSX-MFP</u> followed by a 3 or 4 digit number, followed by P may be followed by 2.

TSX57 Series Programmable Controllers, Model(s): <u>TSX-P57</u> followed by 0, 1, 2, 3, 4, 5 or 6, followed by 1, 2 or 3 digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): <u>TSX-P57 followed by 3 or 4</u> followed by a 2 or 3 digit number, may be followed by L, may be followed by AM.

TSX57 Series Programmable Controllers, Model(s): <u>TSX-P57C</u> followed by A or C, followed by 3, 4 or 5 digit number may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-PCI-57 followed by a three or four digit number, may be followed by M.

-eedback

TSX57 Series Programmable Controllers, Model(s): TSX-PCX followed by 4 numbers or letters.

TSX57 Series Programmable Controllers, Model(s): TSX-PSI followed by a three or four digit number, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): <u>TSX-PSY</u> followed by 161, 260, 361, 550, 552, or 850, followed by 0 or 1, may be followed by M.

TSX57 Series Programmable Controllers, Model(s): TSX-RKY followed by 4, 6, 8 or 12, may be followed by E or X.

TSX57 Series Programmable Controllers, Model(s): TSX-SCP followed by 10 followed by 1, 2 or 4.

TSX57 Series Programmable Controllers, Model(s): TSX-SCP followed by 11 followed by 1, 2 or 4.

TSX57 Series Programmable Controllers, Model(s): TSX-TAP followed by 3 or 5 numbers or letters.

- # May be followed by any one to three letter(s) and/or number(s).
- \$ May have suffix K, KS, or KC. Suffix indicates models packaged with a hot swap base and mating connector with screw contacts and mating connector with spring loaded contacts (K), base and mating connector with screw contacts (KS), or base and mating connector with spring loaded contacts (KC).
- \$ May have suffix K, KS, or KC. Suffix indicates models packaged with a hot swap base and mating connector with screw contacts and mating connector with spring loaded contacts (K), base and mating connector with screw contacts (KS), or base and mating connector with spring loaded contacts (KC).
- % May be followed by C.
- (#) x may be any alphanumeric character,_ or blank. & may be A or D. model may be followed by 16 alphanumeric character,? ? ?, or blank
- (#) x may be any alphanumeric character,_, or blank, & may be A or D, model may be followed by 16 alphanumeric character, or blank
- (#) x may be any alphanumeric character,_, or blank. & may be A or D. model may be followed by 16 alphanumeric character, or blank
- (#) x may be any alphanumeric character,_, or blank; & may be A or D; model may be followed by 16 alphanumeric character,¿ ¿ ¿, or blank
- (&) Where x may be any alphanumeric characters
- (e) May be followed by C.
- (h) May be followed by K, KS or KC.
- * May be followed by S.
- @ May be followed by numbers and/or letters.
- + Where x may be any alphanumerical character.
- xx Where xx can be replaced by any alphanumeric character.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."